Journal of Applied Polymer Science

Author Index to Volume 67

Abdel-Fattah, A. A.
—; Ebraheem, S.; Ali, Z. I.; Abdel-Rehim, F.: Ultraviolet and Infrared Spectral Analysis of Irradiated Polyethylene Films: Correlation and Possible Application for Large-Dose Radiation Dosimetry, 1837
Abd El Hady, B. M. See Moustafa, A. B., 637
Abdel-Rehim, F. See Abdel-Fattah, A. A., 1837
Abraham, D.
—; George, K. E.; Francis, D. J.: Structure–Property–Processing Relationships in Chemically Modified LDPE and LDPE/LLDPE Blend, 789
Abusamah, A. See Rozman, H. D., 1221
Acosta, J. L. See Linares, A., 997
Agarwal, U. S. See Parashar, M. K., 1589
Ahmad, M. U. See Idriss Ali, K. M., 79
Ahn, T. O.
—; Hong, S. C.; Kim, J. H.; Lee, D.-H.: Control of Molecular Weight Distribution in Propylene Polymerization with Ziegler–Natta/Metallocene Catalyst Mixtures, 2213
Aigbodion, A. I. See Okieimen, F. E., 1987
Akar, A. See Uyanik, N., 643
Akashi, M. See Kishida, A., 255
Akinay, A. E.
—; Tinçer, T.: Preparation and Characterization of Ultrahigh Molecular Polyethylene and Polyisoprene Solvent-Cast Blend Films, 1619
Alexandrova, L. See Likhatchev, D., 609
Ali, Z. I. See Abdel-Fattah, A. A., 1837
Almassi, M. See Bataille, P., 1711
Al-Raheil, I. A.
—; Qudah, A. M.; Al-Share', M.: Isotactic Polypropylene Crystallized From the Melt. I. Morphological Study, 1259
—; Qudah, A. M.; Al-Share', M.: Isotactic Polypropylene Crystallized from the Melt. II. Thermal Melting Behavior, 1267
Al-Share', M. See Al-Raheil, I. A., 1259, 1267
Alvarez, J. See Olayo, R., 71
Álvarez, J. C. See García, J. M., 975
Amarantos, S. G. See Papadokostaki, K. G., 277
Antonucci, J. M. See Farahani, M., 1545
Apichatachutapan, W.
—; Mathias, L. J.: Ring-Opening Metathesis Polymerization of Cyclohexenyl Norbornene in Air and Protic Media Using Ruthenium-Based Catalysts, 183
Arya, S. S. See Jagannath, J. H., 1597
Awad, M. M. B. See Motawie, A. M., 577

Baccante, A.
—; Quaresima, R.; Lora, S.; Palma, G.; Volpe, R.; Corain, B.: Gamma Ray-Induced Copolymerization of Copper (II) Methacrylate: A Way of Access to Copper-Based Synthetic Micro- and Macroporous Resins, 11
Bae, Y. C. See Yi, Y. D., 2087
Bai, Y. See Chen, T., 569
Bajaj, P.
—; Paliwal, D. K.; Gupta, A. K.: Influence of Metal Ions on Structure and Properties of Acrylic Fibers, 1647
Baker, W. E. See Zhang, X., 427
Balasubramanian, S. See Thamizharasi, S., 177
Balo, S. K. See Idriss Ali, K. M., 79
Balu, K. See Sivakumar, M., 1939
Banerjee, A. See Saha, N., 1631
Banerjee, A. N. See Saha, N., 1925
Bank, D. See Carriere, C. J., 1177
Barbosa, C. C. R. See Coutinho, F. M. B., 781
Basak, R. K. See Mitra, B. C., 1093
Bataille, P.
—; Almassi, M.; Inoue, M.: Emulsifier-Free Emulsion Polymerization of *N*-Butyl Methacrylate, 1711
Bayhan, M.
—; Tuncel, A.: Uniform Poly(isopropylacrylamide) Gel Beads for Immobilization of α-Chymotrypsin, 1127
Baysal, B. M. See Kayaman, N., 805
Beiler, I. C. See Giudici, R., 1573
Beretta, S. See Tsukada, M., 1393
Berg, J. C. See Harding, P. H., 1025
Bergström, C. H.
—; Starck, P. G.; Seppälä, J. V.: Influence of the Polymerization Conditions on the Rigidity of Phenylnorbornene–Ethylene Copolymers Made Using Ethylene bis(indenyl) zirconium dichloride and MAO, 385
Berti, C. See Pilati, F., 1679
Bhattacharya, M. See John, J., 1947
Bhowmick, A. K. See Ghosh, S., 2015
Bieliński, D. M.
—; Ślusarski, L.; Włochowicz, A.; Ślusarczyk, C.: Structure and Mechanical Properties of

Nitrile Rubbers Modified with Iodine, 501
Biswas, S.
Analysis of Nonideal Kinetics in the Polymerization of Methyl Methacrylate Using Some Complex Initiator Systems Based on A Pyridine–Sulfur Dioxide Charge Transfer Complex, 585
Blanchard, A. F.
Elasticity Theory and Crosslinking of Reinforced Rubber, 119
Boccara, A. C. See Pandey, G. C., 1249
Bogoeva-Gaceva, G.
—; Janevski, A.; Grozdanov, A.: Crystallization and Melting Behavior of iPP Studied by DSC, 395
Bohidar, N. See Prasad, N., 1753
Bonin, H. W.
—; Bui, V. T.; Pak, H.; Poirier, E.; Harris, H.: Radiation Effects on Aluminum-Epoxy Adhesive Joints, 37
Bonnet, A. See Jousseaume, V., 1205, 1209
Boscoletto, A. B.
—; Checchin, M.; Milan, L.; Pannocchia, P.; Tavan, M.; Camino, G.; Luda, M. P.: Combustion and Fire Retardance of Poly(2,6-dimethyl–1,4-phenylene ether)–High-Impact Polystyrene Blends. II. Chemical Aspects, 2231
Bovenkamp, J. See Chan Man Fong, C. F., 1885
Brar, A. S.
—; Malhotra, M.: Microstructure of Vinylidene Chloride–Ethyl Acrylate Copolymers by One- and Two-Dimensional NMR Spectroscopy, 417
Bui, V. T. See Bonin, H. W., 37
Burford, R. P. See Wootthikanokkhan, J., 1277
Burns, C. M. See Ling, X., 149
Butler, M. F.
—; Donald, A. M.: Real-Time *In Situ* Light Scattering and X-ray Scattering Studies of Polyethylene Blown Film Deformation, 321
Byerley, J. J. See Ling, X., 149

Camino, G. See Boscoletto, A. B., 2231; Levchik, S. V., 461
Canseco, M. See Likhatchev, D., 609
Cao, K. See Yao, Z., 1905
Cardoso, J. See Flores, M., 1071
Carriere, C. J.
—; Bank, D.; Malanga, M.: Evaluation and Modeling of the High-Temperature Short-Term Creep Performance of Selected Glass-Filled Semicrystalline and Liquid Crystalline Polymers, 1177
Caruthers, J. M. See Novenario, C. R., 841
Caze, C. See Ulrich, M., 201
Chakrabarty, D.
—; Das, B.; Roy, S.: Epoxy Resin–Poly(ethyl methacrylate) Interpenetrating Polymer Networks: Morphology, Mechanical, and Thermal Properties, 1051
Chan, C.-M. See Yang, W., 2035
Chandak, M. V.
—; Lin, Y. S.; Ji, W.; Higgins, R. J.: Sorption and Diffusion of Volatile Organic Compounds in Polydimethylsiloxane Membranes, 165
Chan Man Fong, C. F.
—; Moresoli, C.; Xiao, S.; Li, Y.; Bovenkamp, J.; De Kee, D.: Modeling Diffusion through Geomembranes, 1885
Chan, W.-C.
—; Fu, T.-P.: Adsorption/Ion-Exchange Behavior Between a Water-Insoluble Cationic Starch and 2-Chlorophenol in Aqueous Solutions, 1085
Chao, D. Y. See Kuo, W. J., 19
Chao, K.-C. See Novenario, C. R., 841
Chao, M.-S. See Huang, S.-L., 865
Chaplin, R. P. See Wootthikanokkhan, J., 1277
Chaudhry, B. I.
—; Hage, E.; Pessan, L. A.: Effects of Processing Conditions on the Phase Morphology of PC/ABS Polymer Blends, 1605
Cha, Y.-J.
—; Lee, C.-H.; Choe, S.: Morphology and Mechanical Properties of Nylon 6 Toughened with Waste Poly(vinyl butyral) Film, 1531
Checchin, M. See Boscoletto, A. B., 2231
Cheng, G.-X.
—; Liu, J.; Zhao, R.-Z.; Yao, K.-D.; Sun, P.-C.; Men, A.-J.; Wang, W.-H.; Wei, L.: Studies on Dynamic Behavior of Water in Crosslinked Chitosan Hydrogel, 983
Chen, G.-N.
—; Chen, K.-N.: Dual-Curing of Anionic Aqueous-Based Polyurethanes at Ambient Temperature, 1661
Cheng, N.-T. See Chen, S. C., 1553
Chen, J.
—; Huang, Y.; Wang, H.; Shen, J.: Morphology of Polyethylene Blended with Thermotropic Hydroxyethyl Cellulose Acetate, 1285
Chen, J.-H. See Ho, B.-C., 1313
Chen, K.-N. See Chen, G.-N., 1661
Chen, L. See Tian, B., 1035
Chen, L.-M. See Ho, B.-C., 1313
Chen, S. C.
—; Cheng, N.-T.; Hu, S.-Y.: Simulations of Primary and Secondary Gas Penetration for a Gas-Assisted Injection-Molded Thin Part with Gas Channel, 1553
Chen, T.
—; Bai, Y.; Sun, R.: Study on Relationship between Mechanical Properties and Particle Size Distribution for Polyhexamethylene Carbonate Diol Toughened Epoxy Resin, 569
Chen, W.
—; Feng, H.; He, D.; Ye, C.: High Resolution Solid-State NMR and DSC Study of Poly(ethylene glycol)-Silicate Hybrid Materials Via Sol–Gel Process, 139
Chen, X.
—; McCarthy, S. P.; Gross, R. A.: Preparation and Characterization of

Polycarbonates from 2,4,8,10-Tetraoxaspiro[5,5]undecane-3-one (DOXTC)–Trimethylenecarbonate (TMC) Ring-Opening Polymerizations, 547
Chen, X.
—; Ping, Z.; Long, Y.: Separation Properties of Alcohol–Water Mixture Through Silicalite-I-Filled Silicone Rubber Membranes by Pervaporation, 629
Chen, Y. See Li, S.-D., 2207
Chernyh, V. Y. See Reshetnikov, I. S., 1827
Chey, J. I. See Hwang, W.-H., 921
Chida, K. See Kunugi, T., 1993
Chiu, S.-H.
—; Wang, W.-K.: The Dynamic Flammability and Toxicity of Magnesium Hydroxide-Filled Intumescent Fire Retardant Polypropylene, 989
Choe, S. See Cha, Y.-J., 1531
Choi, H. D.
—; Cho, K. Y.; Han, S.; Yoon, H. G.; Moon, T. J.: Frequency Dispersion Characteristics of the Complex Permittivity of the Epoxy–Carbon Black Composites, 363
Choi, W.-M.
—; Jung, I.-D.; Ha, C.-S.; Cho, W.-J.: Syntheses and Properties of Photodegradable Polystyrene-Containing Carbonyl Group, 1237
—; See Han, S.-W., 1721
Cho, K. Y. See Choi, H. D., 363
Choung, S.-J. See Lim, S.-Y., 1779
Cho, W.-J. See Choi, W.-M., 1237; Han, S.-W., 1721; Park, D.-J., 1345
Chu, G. See Ge, X., 1005
Cicek, H. See Senel, S., 1319
Cimmino, S.
—; Di Lorenzo, M. L.; Di Pace, E.; Silvestre, C.: Isotactic Poly(1-butene)/Hydrogenated Oligo-(cyclopentadiene) Blends: Miscibility, Morphology, Thermal, and Mechanical Properties, 1369
Cincu, C. See Marculescu, B., 1151
Clemons, C. See Oksman, K., 1503
Conio, G. See Marzetti, A., 961
Corain, B. See Baccante, A., 11
Cosani, A. See Marzetti, A., 961
Costa, L. See Levchik, S. V., 461
Coutinho, F. M. B.
—; Teixeira, V. G.; Barbosa, C. C. R.: Synthesis and Characterization of Styrene–Divinylbenzene Loaded with Di(2-ethylhexyl)phosphonic Acid. I. Influence of Diluent Mixture on the Porous Structure of the Copolymer, 781
Credali, U. See Pilati, F., 1679
Cunningham, R. L. See Tatarka, P. D., 1157

Dan, F.
—; Vasiliu-Oprea, C.: On the Relationship Between Synthesis Parameters and Morphology of the Anionic Polycaproamide Obtained in Organic Media. III. Macroporous Powders Obtained Using CO_2 and Carbodiimides as Activating Compounds, 231
Daniels, E. S. See Mohammed, S., 559, 685
Das, B. See Chakrabarty, D., 1051
Da Silva, E. P.
—; Tavares, M. I. B.: The Compatibility Study of Policarbonate–Polyvinyl Pyrrolidone Blend Using High-Resolution Solid-State Nuclear Magnetic Resonance, 449
De Abajo, J. See García, J. M., 975
Deglise, X. See Pizzi, A., 1673
De Kee, D. See Chan Man Fong, C. F., 1885
De La Campa, J. G. See García, J. M., 975
Delahaye, N.
—; Marais, S.; Saiter, J. M.; Metayer, M.: Characterization of Unsaturated Polyester Resin Cured with Styrene, 695
Deng, X. See Yuan, M., 1273
Desbaumes, L. See Mukhopadhyay, P., 245
Di Lorenzo, M. L. See Cimmino, S., 1369
Di Pace, E. See Cimmino, S., 1369
Dipaola-Baranyi, G. See Mukhopadhyay, P., 245
Donald, A. M. See Butler, M. F., 321
Do Nascimento, C. A. O. See Giudici, R., 1573
Dong, C. See Tian, B., 1035
Donnet, J. B. See Rebouillat, S., 487
Dreher, S.
—; Seifert, S.; Zachmann, H. G.; Moszner, N.; Mercoli, P.; Zanghellini, G.: Chain Orientation in Melt-Extruded Samples of Vectra A, Vectra B, and Blends in Relation to the Mechanical Properties, 531
Duca, M. D.
—; Plosceanu, C. L.; Pop, T.: Effect of X-rays on Poly(vinylidene fluoride) in X-ray Photoelectron Spectroscopy, 2125

Ebraheem, S. See Abdel-Fattah, A. A., 1837
Ebringerova, A.
—; Sroková, I.; Talába, P.; Kačuráková, M.; Hromádkova, Z.: Amphiphilic Beechwood Glucuronoxylan Derivatives, 1523
Edell, D. J. See Limb, S. J., 1489
El-Aasser, M. S. See Mohammed, S., 559, 685
El-Farahaty, K. A.
The Influence of Creep on Optical Properties of Polypropylene Fibers, 621
El-Hilw, Z. H. See Hebeish, A., 739
El-Sawy, N. M.
Complexation of Rhodium on Radiation-Grafted Acrylic Acid onto Poly(tetrafluoro-ethylene-perfluorovinyl ether) Copolymer Films, 1449
El-Sharkawy, F. M. See Hamza, A. A., 1957
Endo, F. See Mochizuki, A., 1253
Erarslan, A. See Kayaman, N., 805

Erişken, C. See Göçmez, A., 1457
Escobar, A. See Flores, M., 1071
Evchuk, I. See Luzinov, I., 299
Evstatiev, M.
—; Schultz, J. M.; Petrovich, S.; Georgiev, G.; Fakirov, S.; Friedrich, K.: *In Situ* Polymer/Polymer Composites from Poly(ethylene terephthalate), Polyamide-6, and Polyamide-66 Blends, 723

Faizalla, A. See Moustafa, A. B., 637
Fakhr El-Din, A. See Motawie, A. M., 577
Fakirov, S. See Evstatiev, M., 723
Fane, A. See Jonquieres, A., 1415
Fang, J.-H. See Yin, J., 2105
Farahani, M.
—; Antonucci, J. M.; Karam, L. R.: A GC–MS Study of the Addition Reaction of Aryl Amines with Acrylic Monomers, 1545
Feng, H. See Chen, W., 139
Feng, Q. See Viswanathan, T., 1811
Feng, Y. See Yi, X.-S., 2119
Ferrándiz, S. See López, J., 1769
Flipsen, T. A. C.
—; Pennings, A. J.; Hadziioannou, G.: A Polymer Optical Fiber with High Thermal Stability and Low Optical Losses Based on Novel Densely Crosslinked Polycarbosiloxanes, 2223
Flores, M.
—; Hernandez, G.; Escobar, A.; Cardoso, J.; Palma, A.; Maciel, A.; Sanchez, E.; Manero, O.: Synthesis and Processing of the (Ethylene-Vinyl Acetate-Vinyl Alcohol) Terpolymer and Its Blends with a Polyamide and Styrene Copolymers, 1071
Flumerfelt, R. W. See Lee, J. G., 1353
Focher, B. See Marzetti, A., 961
Fouda, I. M. See Hamza, A. A., 1957
Fournier, D. See Pandey, G. C., 1249
Francis, D. J. See Abraham, D., 789
Fréchet, J. M. J. See Lewandowski, K., 597
Freddi, G. See Tsukada, M., 1393
Friedrich, K. See Evstatiev, M., 723
Fujita, M.
—; Kajiyama, M.; Takemura, A.; Ono, H.; Mizumachi, H.; Hayashi, S.: Miscibility Between Natural Rubber and Tackifiers. II. Phase Diagrams of the Blends of Natural Rubber and Petroleum Resins, 221
Fukuda, W. See Iijima, T., 769
Fukuhara, M. See Wang, W., 705
Fu, T.-P. See Chan, W.-C., 1085

Garcia-Corichi, B. See Olayo, R., 71
Garcia, E. See Olayo, R., 71
García, J. M.
—; Álvarez, J. C.; De La Campa, J. G.; De Abajo, J.: Thermal Behavior of Aliphatic–Aromatic Poly(ether-amide)s, 975
Garcia, R. See Pizzi, A., 1673
Gascó, M. C.
—; Rodriguez, F.; Long, T.: Polymer–Polymer Friction as a Function of Test Speed, 1831
Gaviño, R. See Likhatchev, D., 609
Geckeler, K. E. See Rivas, B. L., 93
Geethakumari, K.
—; Sreekumar, K.: Reactivity of *t*-Butyl Chromate Resins with Substituted α-Phenylethanols: A Kinetic Study, 799
Geladé, E. See Sándor, N., 1729, 1739
George, K. E. See Abraham, D., 789
Georgiev, G. See Evstatiev, M., 723
Ge, X.
—; Ye, Q.; Xu, X.; Zhang, Z.; Chu, G.: Studies of Inverse Emulsion Copolymerization of (2-Methacryloyloxyethyl) Trimethyl Ammonium Chloride and Acrylamide, 1005
Ghosh, S.
—; Khastgir, D.; Bhowmick, A. K.: Phase Modification of SEBS Block Copolymer by Different Additives and Its Effect on Morphology, Mechanical and Dynamic Mechanical Properties, 2015
Gil, E. S. See Kim, S. H., 1383
Gisbert, S. See López, J., 1769
Giudici, R.
—; Do Nascimento, C. A. O.; Beiler, I. C.; Scherbakoff, N.: Modeling of Industrial Nylon-6,6 Polycondensation Process in a Twin-Screw Extruder Reactor. I. Phenomenological Model and Parameter Adjusting, 1573
Gleason, E. F. See Limb, S. J., 1489
Gleason, K. K. See Limb, S. J., 1489
Göçmez, A.
—; Erişken, C.; Yilmazer, Ü.; Pekel, F.; Özkar, S.: Mechanical and Burning Properties of Highly Loaded Composite Propellants, 1457
Gómez-Antón, M. R. See Rivas, B. L., 1109
Gowayed, Y. See Lin, W., 371
Gradwell, M. H. S. See Hourston, D. J., 1973
Gross, R. A. See Chen, X., 547
Grozdanov, A. See Bogoeva-Gaceva, G., 395
Guangcong, L. See Tieqi, L., 1227
Güner, A.
Hydrodynamic Characteristics of Aqueous Poly (*N*-vinyl-2-pyrrolidone) Solutions in the Presence of Denaturing Agents, 1615
Guo, H. See Rebouillat, S., 487
Gupta, A. K. See Bajaj, P., 1647
Gupta, R. P. See Parashar, M. K., 1589
Gupta, S. N. See Ray, A., 1215
Guseva, L. A. See Mikheev, Y. A., 1693

Ha, C.-S. See Choi, W.-M., 1237; Han, S.-W., 1721; Park, D.-J., 1345

Hadziioannou, G. See Flipsen, T. A. C., 2223
Hage, E. See Chaudhry, B. I., 1605
Hamza, A. A.
—; Fouda, I. M.; Kabeel, M. A.; Seisa, E. A.; El-Sharkawy, F. M.: Opto-thermal Properties of Fibers. II. The Effect of Thermal Annealing of Drawing Behavior for Egyptian Polyester Fibers on the Crystallinity and Some Optical Parameters, 1957
Han, M. G.
—; Im, S. S.: Processable Conductive Blends of Polyaniline/Polyimide, 1863
Han, S. See Choi, H. D., 363
Han, S.-W.
—; Choi, W.-M.; Park, J.-G.; Ha, C.-S.; Kwon, S.-K.; Cho, W.-J.: Synthesis and Photodegradable Properties of Methyl Vinyl Ketone–EPDM–Styrene Graft Terpolymer, 1721
Harding, P. H.
—; Berg, J. C.: The Adhesion Promotion Mechanism of Organofunctional Silanes, 1025
Harris, H. See Bonin, H. W., 37
Hasegawa, N.
—; Kawasumi, M.; Kato, M.; Usuki, A.; Okada, A.: Preparation and Mechanical Properties of Polypropylene–Clay Hybrids Using a Maleic Anhydride-Modified Polypropylene Oligomer, 87
Hayashi, S. See Fujita, M., 221
Hebeish, A.
—; El-Hilw, Z. H.: Preparation of DEAE Cotton-*g*-Poly(methacrylic acid) for Use as Ion Exchanger, 739
He, B.-L. See Zhou, Q.-Y., 473
He, D. See Chen, W., 139
Heidweiller, A. J. See Van Der Zwet, M. J. M., 1473
He, J.
—; Liu, J.: Compatibilization by Sulfonate Ionomers in Polyblends with Thermotropic Liquid Crystalline Polymers, 2141
Helmich, J. See Viswanathan, T., 1811
He, Q. See Wei, X., 2179
Hernandez, G. See Flores, M., 1071
He, Y.-F. See Wang, R.-M., 2027
Higgins, R. J. See Chandak, M. V., 165
Hiltunen, K.
—; Seppälä, J. V.: The Synthesis of Lactic-Acid-Based Telechelic Prepolymers, 1011
—; Seppälä, J. V.: The Use of Different Diols in the Synthesis of Low-Molecular-Weight Lactic-Acid-Based Telechelic Prepolymers, 1017
Hiltz, J. A. See Kuzak, S. G., 349
Ho, B.-C.
—; Chen, J.-H.; Perng, W.-C.; Lin, C.-L.; Chen, L.-M.: Synthesis, Characterization, and Properties of a Novel Positive Photoresist Polyimide, 1313
Holler, P. See Lokaj, J., 755
Hong, L.
—; Ruckenstein, E.: Coating Metal Oxide Particles via the Combustion of Deposited Polymer Precursors, 1891
Hong, S. C. See Ahn, T. O., 2213
Hor, A.-M. See Mukhopadhyay, P., 245
Hourston, D. J.
—; Schäfer, F.-U.; Walter, N. J.; Gradwell, M. H. S.: Mechanical and Morphological Study of Polyurethane/Polystyrene Interpenetrating Polymer Networks Containing Ionic Groups, 1973
—; Williams, G.; Satguru, R.; Padget, J. D.; Pears, D.: A Structure–Property Study of IPDI-Based Polyurethane Anionomers, 1437
Hromádkova, Z. See Ebringerova, A., 1523
Hsu, K.-R. See Sun, Y.-M., 2245
Huang, D.
—; Yang, Y.; Li, B.: Impact Behavior of Phenolphthalein Poly(ether sulfone)/Ultrahigh Molecular Weight Polyethylene Blends, 113
Huang, H.-X.
Self-Reinforcement of Polypropylene by Flow-Induced Crystallization During Continuous Extrusion, 2111
Huang, S.-L.
—; Chao, M.-S.; Lai, J.-Y.: Investigation and Gas Permeability of Polyurethane Complexes, 865
—; See Lee, K.-R., 1789
Huang, Y. See Chen, J., 1285
Hu, J. See Sheng, J., 1199
Hung, A. See Lian, S.-M., 1639
Hu, S.-Y. See Chen, S. C., 1553
Hwang, I. J.
—; Kim, B. K.: Effect of the Type of SAN in SAN/CPE Blend: Morphology, Mechanical, and Rheological Properties, 27
Hwang, W.-H.
—; Chey, J. I.; Rhee, H.-K.: Modeling and Control of Continuous Stirred Tank Reactor for Thermal Copolymerization, 921
Hyder Ali, A.
—; Srinivasan, K. S. V.: Synthesis, Characterization, and Studies on the Solid-State Crosslinking of Functionalized Vinyl Cinnamate Polymers, 441

Ibarra, L.
—; Paños, D.: Dynamic Properties of Thermoplastic Butadiene–Styrene (SBS) and Oxidized Short Carbon Fiber Composite Materials, 1819
Idriss Ali, K. M.
—; Khan, M. A.; Balo, S. K.; Ahmad, M. U.: Effect of Additives on Reinforcement of Radiation-Induced Jute–Urethane Polymer Composites, 79
Iijima, T.
—; Nishina, T.; Fukuda, W.; Tomoi, M.: Modification of Bismaleimide Resin by Poly(phthaloyl diphenyl ether) and the Related Copolymers, 769
Ikada, Y. See Tsuji, H., 405
Ikawa, T. See Shiga, T., 259
Imagawa, A. See Kawazoe, N., 885
Im, S. S. See Han, M. G., 1863
Inoue, M. See Bataille, P., 1711

Isa, I. M. See Wan Ngah, S. W., 1067

Jagannath, J. H.
—; Jayaraman, K. S.; Arya, S. S.; Somashekar, R.: Differential Scanning Calorimetry and Wide-Angle X-ray Scattering Studies of Bread Staling, 1597
Jain, A. See Parashar, M. K., 1589
Janevski, A. See Bogoeva-Gaceva, G., 395
Jang, J.
—; Seo, D.: Performance Improvement of Rubber-Modified Polybenzoxazine, 1
Jayaraman, K. S. See Jagannath, J. H., 1597
Jiménez, A. See López, J., 1769
Ji, W. See Chandak, M. V., 165
John, J.
—; Tang, J.; Bhattacharya, M.: Grafting of Oxazoline Functional Group to Polycaprolactone, 1947
Jonquieres, A.
—; Fane, A.: Modified BET Models for Modeling Water Vapor Sorption in Hydrophilic Glassy Polymers and Systems Deviating Strongly from Ideality, 1415
Jousseaume, V.
—; Morsli, M.; Bonnet, A.; Lefrant, S.: X-ray Photoelectron Spectroscopy of Conducting Polyaniline and Polyaniline–Polystyrene Blends, 1209
—; Morsli, M.; Bonnet, A.; Tesson, O.; Lefrant, S.: Electrical Properties of Polyaniline–Polystyrene Blends Above the Percolation Threshold, 1205
Juangvanich, N.
—; Mauritz, K. A.: Polyethersulfone–[Silicon Oxide] Hybrid Materials via *In-Situ* Sol–Gel Reactions for Tetra-Alkoxysilanes, 1799
Jung, I.-D. See Choi, W.-M., 1237

Kabeel, M. A. See Hamza, A. A., 1957
Kačuráková, M. See Ebringerova, A., 1523
Kajiyama, M. See Fujita, M., 221
Kanamori, T.
—; Shinbo, T.; Sakai, K.: Size of Polymeric Particles Forming Hemodialysis Membranes Determined from Water and Solute Permeabilities, 833
Karam, L. R. See Farahani, M., 1545
Katakai, R. See Kondo, T., 2057
Kato, M. See Hasegawa, N., 87
Katono, H.
—; Sakagami, T.; Shouji, M.; Ogihara, T.: Introduction of Cu(II) Complex into Transparent Synthetic Resin and Optical Function of the Resin as a Near-Infrared Ray Cutoff Filter, 903
Kawahara, S. See Mizutani, Y., 1853
Kawamura, H. See Mizutani, Y., 1853
Kawasumi, M. See Hasegawa, N., 87
Kawazoe, N.
—; Imagawa, A.; Tamai, T.; Tran-Cong, Q.: Photocrosslinking Kinetics of Polymer Blends Undergoing Spinodal Decomposition Process, 885
Kayaman, N.
—; Kazan, D.; Erarslan, A.; Okay, O.; Baysal, B. M.: Structure and Protein Separation Efficiency of Poly(*N*-Isopropylacrylamide) Gels: Effect of Synthesis Conditions, 805
Kazan, D. See Kayaman, N., 805
Kenny, J. M. See Maffezzoli, A., 763
Keshavaraj, R.
—; Tock, R. Wm.; Nusholtz, G. S.: A Simple Numerical Model (PRAM) for Simulation of the Passenger-Bag Interactions During Deployment of an Airbag, 933
Ke, Y.
—; Wu, Z.: The Investigations of the Practical Routes, Structure, and Properties for Poly(aryl ether ketone ketone) Polymers, 659
Ke, Y.-C.
—; Wu, Z.: The Absorption Behavior and Crystallization of Poly(Aryl Ether Ketone) Films, 2065
Khalturinskij, N. A. See Reshetnikov, I. S., 1827
Khan, M. A. See Idriss Ali, K. M., 79
Khastgir, D. See Ghosh, S., 2015
Kikunaga, Y. See Kishida, A., 255
Kim, B. K. See Hwang, I. J., 27
Kim, H. D.
—; Kim, T. W.: Preparation and Properties of UV-Curable Polyurethane Acrylate Ionomers, 2153
Kim, H.-J. See Lee, D.-H., 2187
Kim, J. H. See Ahn, T. O., 2213
Kim, S. C. See Lee, H. K., 159; Lee, S. Y., 2001
Kim, S. H.
—; Park, S. W.; Gil, E. S.: Crystallization Kinetics of Poly(ethylene terephthalate) with Thermotropic Liquid Crystalline Polymer Blends, 1383
Kim, T. W. See Kim, H. D., 2153
Kishida, A.
—; Nakano, S.; Kikunaga, Y.; Akashi, M.: Synthesis and Functionalities of Poly(*N*-vinylalkylamide). VII. A Novel Aqueous Two-Phase Systems Based on Poly(*N*-vinylacetamide) and Dextran, 255
Kishore
—; Venkatraman, S.: Impact Behavior of Glass–Epoxy Composites Containing Foam Material, 1565
Kizilcan, N. See Uyanik, N., 643
Klein, A. See Mohammed, S., 559, 685
Kobatake, T. See Torikai, A., 1293
Kondo, T.
—; Koyama, M.; Kubota, H.; Katakai, R.: Characteristics of Acrylic Acid and *N*-Isopropylacrylamide Binary Monomers–Grafted Polyethylene Film Synthesized by Photografting, 2057
Konečný, D. See Lokaj, J., 755

Kontou, E.
Relaxation Time Spectra of Linear and Crosslinked Polymers, 679
Kotha, S. See Lin, W., 371
Ko, T.-M. See Zeng, X.-R., 2131
Koyama, M. See Kondo, T., 2057
Kubota, H. See Kondo, T., 2057
Kucharski, M.
—; Lubczak, R.: Copolymerization of Hydroxyalkyl Methacrylates with Acrylamide and Methacrylamide. II. Properties of the Copolymers, 1243
—; See Wirpsza, Z., 1039
Kumar, A. See Pandey, G. C., 1249
Kumar, R. N. See Rozman, H. D., 1221
Kun, Q. See Tieqi, L., 1227
Kunugi, T.
—; Chida, K.; Suzuki, A.: Preparation of High-Modulus Nylon 6 Fibers by Vibrating Hot Drawing and Zone Annealing, 1993
Kuo, S.-C. See Yen, M.-S., 1301
Kuo, W. J.
—; Wang, N. H.; Lee, C. L.; Chao, D. Y.; Yang, K. H.: The Study of the Synthesis and Physical Properties of Fire-Resistant Polyurethane Ionomers, 19
Kurihara, S.
—; Ueno, Y.; Nonaka, T.: Preparation of Poly(vinyl alcohol)-*graft*-*N*-Isopropylacrylamide Copolymer Membranes with Triphenylmethane Leucocyanide and Permeation of Solutes Through the Membranes, 1931
Kuzak, S. G.
—; Hiltz, J. A.; Waitkus, P. A.: Impact Performance of Phenolic Composites Following Thermal Exposure, 349
Kuzayev, A. I. See Zaichenko, A. S., 1061
Kwon, S.-K. See Han, S.-W., 1721

Lai, C.-C. See Lee, W.-F., 307
Lai, J.-Y. See Huang, S.-L., 865; Lee, K.-R., 1789
Laroche, P. See Ulrich, M., 201
Łaszkiewicz, B.
Solubility of Bacterial Cellulose and Its Structural Properties, 1871
Lee, C.-H. See Cha, Y.-J., 1531
Lee, C. L. See Kuo, W. J., 19
Lee, D.-H.
—; Yoon, K.-B.; Kim, H.-J.; Woo, S.-S.: Copolymerization of Styrene and Ethylene with Mononuclear and Dinuclear Half-Titanocenes, 2187
—; See Ahn, T. O., 2213
Lee, H. K.
—; Kim, S. C.: Relation between Liquid–Liquid Phase Separation and Crystallization in Isotactic and Syndiotactic Polypropylene Solutions, 159
Lee, J. G.
—; Flumerfelt, R. W.: Prediction of Cellular Structure in Free Expansion of Viscoelastic Media, 1353
Lee, J. K. See Park, W. H., 1101
Lee, K.-H. See Yeom, C. K., 209, 949
Lee, K.-R.
—; Yu, S.-J.; Huang, S.-L.; Wang, D.-M.; Lai, J. Y.: Pervaporation of Water–Ethanol Mixtures through Plasma Graft Polymerization of Polar Monomer onto Crosslinked Polyurethane Membrane, 1789
Lee, S. Y.
—; Kim, S. C.: Laminar Morphology Development Using Hybrid EVOH–Nylon Blends, 2001
Lee, W.-F.
—; Lai, C.-C.: Mechanical Properties of Poly(vinyl chloride) Blends and Corresponding Graft Copolymers, 307
Lefrant, S. See Jousseaume, V., 1205, 1209
Lei, Z.-Q. See Wang, R.-M., 2027
Levchik, S. V.
—; Camino, G.; Luda, M. P.; Costa, L.; Lindsay, A.; Stevenson, D.: Thermal Decomposition of Cyclotriphosphazenes. I. Alkyl–Aminoaryl Ethers, 461
Lewandowski, K.
—; Svec, F.; Fréchet, J. M. J.: The Preparation of Macroporous, Monodisperse, Functionalized Styrene–Divinylbenzene Copolymer Beads: Effect of the Nature of the Monomers and Total Porogen Volume on the Porous Properties, 597
Lian, S.-M.
—; Wang, T.-H.; Hung, A.: Metallization of Photosensitive Epoxy, 1639
Li, B. See Huang, D., 113; Yu, J., 1335
Li, B.-G. See Yao, Z., 1905
Li, F.-K. See Sheng, J., 1199
Li, G.
—; Shen, J.; Zhu, Y.: A Study of Pyridinium-Type Functional Polymers. II. Antibacterial Activity of Soluble Pyridinium-Type Polymers, 1761
Li, H.
—; Li, Z.: An Investigation of Phase Morphology, Thermal Behavior, and Impact Properties of Polyamide-1010/Polystyrene Blends Compatibilized by Lightly Sulfonated Polystyrene Ionomers, 61
Likhatchev, D.
—; Valle, L.; Canseco, M.; Salcedo, R.; Gaviño, R.; Alexandrova, L.; Vera-Graziano, R.: Spontaneous Cyclodehydration of *N*-(*o*-Aminophenyl) Amic Acids, 609
Limb, S. J.
—; Edell, D. J.; Gleason, E. F.; Gleason, K. K.: Pulsed Plasma-Enhanced Chemical Vapor Deposition from Hexafluoropropylene Oxide: Film Composition Study, 1489
Lim, S.-Y.
—; Choung, S.-J.: Effects of External Electron Donor on Catalyst Active Sites in Propylene Polymerization, 1779

Linares, A.
—; Acosta, J. L.: Compatibility Studies of Partially Compatible Blends Through Glass Transition Temperature and Melting Point Depression Analysis, 997
Lin, C.-L. See Ho, B.-C., 1313
Lindsay, A. See Levchik, S. V., 461
Ling, X.
—; Pritzker, M. D.; Byerley, J. J.; Burns, C. M.: Confocal Scanning Laser Microscopy of Polymer Coatings, 149
Lin, M.-L. See Li, S.-D., 2207
Lin, R. See Negelein, D. L., 341
Lin, W.
—; Gowayed, Y.; Kotha, S.: Influence of Acid Dyes on the Thermal Behavior of Nylon 66, 371
Lin, Y.-S.
—; Yasuda, H. K.: Low-Temperature Cascade Arc Torch Treatments for Enhanced Adhesion of Primer to Thermoplastic Olefins, 855
—; See Chandak, M. V., 165
Li, P.-S. See Li, S.-D., 2207
Li, R. K. Y. See Tjong, S. C., 521
Li, S.-B. See Wang, R.-M., 2027
Li, S.-D.
—; Chen, Y.; Zhou, J.; Li, P.-S.; Zhu, C.-S.; Lin, M.-L.: Study on the Thermal Degradation of Epoxidized Natural Rubber, 2207
Liu, J. See Cheng, G.-X., 983; He, J., 2141
Liu, T.
—; Mo, Z.; Zhang, H.: Nonisothermal Crystallization Behavior of a Novel Poly(aryl ether ketone): PEDEKmK, 815
Liu, Y.
—; Wu, C.-P.; Pan, C.-Y.: Effect of Chemical Crosslinking on the Structure and Mechanical Properties of Polyurethane Prepared from Copoly(PPO–THF) Triols, 2163
Li, Y. See Chan Man Fong, C. F., 1885
Li, Z. See Li, H., 61
Lokaj, J.
—; Sikora, A.; Holler, P.; Konečný, D.: Synthesis and Characterization of Styrene–*N*-Butyl Maleimide Copolymers Using Iniferters Containing Thiyl End Groups, 755
Long, T. See Gascó, M. C., 1831
Long, Y. See Chen, X., 629
López, J.
—; Gisbert, S.; Ferrándiz, S.; Vilaplana, J.; Jiménez, A.: Modification of Epoxy Resins by the Addition of PVC Plastisols, 1769
Lora, S. See Baccante, A., 11
Lubczak, J. See Wirpsza, Z., 1039
Lubczak, R. See Kucharski, M., 1243
Luda, M. P. See Boscoletto, A. B., 2231
Luda, M. P. See Levchik, S. V., 461
Luprano, A. M. See Maffezzoli, A., 823
Luzinov, I.
—; Evchuk, I.; Minko, S.; Voronov, S.: Synthesis and Behavior of the Polymer Covering on a Solid Surface. II. Effect of the Adsorbent Particle Size on Adsorption, 299
—; See Rayss, J., 1913

Maciel, A. See Flores, M., 1071
Ma, D. See Yi, X.-S., 131
Maffezzoli, A.
—; Luprano, A. M.; Montagna, G.; Nicolais, L.: Ultrasonic Characterization of Water Sorption in Poly(2-Hydroxyethyl Methacrylate) Hydrogels, 823
—; Torre, L.; Kenny, J. M.: Determination of the Crystallization Enthalpy of New-TPI (note), 763
Malanga, M. See Carriere, C. J., 1177
Malhotra, M. See Brar, A. S., 417
Mallu, P. See Siddaramaiah, 2047
Manero, O. See Flores, M., 1071
Marais, S. See Delahaye, N., 695
Marculescu, B.
—; Cincu, C.; Zerroukhi, A.; Montheard, J.-P.: New Adhesives Prepared from Vinyl Benzyl Chloride Copolymerization (Note), 1151
Marsano, E. See Marzetti, A., 961
Marzetti, A.
—; Focher, B.; Marsano, E.; Conio, G.; Tealdi, A.; Cosani, A.; Terbojevich, M.: Regenerated and Graft Copolymer Fibers from Steam-Exploded Wheat Straw: Characterization and Properties, 961
Mashlyakovskii, L. N. See Reshetnikov, I. S., 1827
Massafra, M. R. See Tsukada, M., 1393
Mathias, L. J. See Apichatachutapan, W., 183
Matsui, S.
—; Nakagawa, T.: Effect of Ultraviolet Light Irradiation on Gas Permeability in Polyimide Membranes. II. Irradiation of Membranes with High-Pressure Mercury Lamp, 49
—; See Mizutani, Y., 1853
Maturana, H. A. See Rivas, B. L., 93, 1109
Mauritz, K. A. See Juangvanich, N., 1799
McCarthy, S. P. See Chen, X., 547
McDonough, W. G. See Moon, C.-K., 1701
Men, A.-J. See Cheng, G.-X., 983
Meng, Y. Z. See Tjong, S. C., 521
Mercoli, P. See Dreher, S., 531
Messori, M. See Pilati, F., 1679
Metayer, M. See Delahaye, N., 695
Michielsen, S.
Fracture Energy Release Rate in Nylon Fibers, 1541
Mikheev, Y. A.
—; Guseva, L. A.; Zaikov, G. E.: Structural and Entropic Effects of Blending Polymers with Liquids, 1693
Milan, L. See Boscoletto, A. B., 2231

Minko, S. See Luzinov, I., 299; Rayss, J., 1913
Mishra, T. See Prasad, N., 1753
Mitra, B. C.
—; Sarkar, M.; Basak, R. K.: Studies on Jute Reinforced Composites, Its Limitations & Some Solutions Through Chemical Modifications of Fibers, 1093
Miyazaki, T.
—; Yomota, C.; Okada, S.: Change in Molecular Weight of Hyaluronic Acid During Measurement with a Cone-Plate Rotational Viscometer, 2199
Mizumachi, H. See Fujita, M., 221
Mizutani, Y.
—; Kawahara, S.; Takesue, M.; Matsui, S.; Kawamura, H.: Polymer Blends of Polypropylene with Polydialkylsiloxane, 1853
Mochizuki, A.
—; Seita, Y.; Nakashima, T.; Endo, F.; Yamashita, S.: Polyether-Segmented Nylon Hemodialysis Membrane. V. Evaluation of Blood Compatibility of Polyether-Segmented Nylons, 1253
Mohammed, S.
—; Daniels, E. S.; Klein, A.; El-Aasser, M. S.: Bulk Copolymerization of Dimethyl Meta-Isopropenyl Benzyl Isocyanate (TMI®): Determination of Reactivity Ratios, 559
—; Daniels, E. S.; Klein, A.; El-Aasser, M. S.: Seeded Emulsion Terpolymerization of Dimethyl Meta-Isopropenyl Benzyl Isocyanate (TMI®) with Acrylic Monomers, 685
Mohanasundaram, A. K. See Sivakumar, M., 1939
Mohan, D. See Sivakumar, M., 1939
Molina, M. J. See Rivas, B. L., 1109
Montagna, G. See Maffezzoli, A., 823
Montheard, J.-P. See Marculescu, B., 1151
Moon, C.-K.
The Effect of Molecular Weight and Fiber Diameter on the Interfacial Behavior in Glass Fiber/PP Composites, 1191
—; McDonough, W. G.: Multiple Fiber Technique for the Single Fiber Fragmentation Test, 1701
Moon, T. J. See Choi, H. D., 363
Moresoli, C. See Chan Man Fong, C. F., 1885
Morsli, M. See Jousseaume, V., 1205, 1209
Moszner, N. See Dreher, S., 531
Motawie, A. M.
—; Sadek, E. M.; Awad, M. M. B.; Fakhr El-Din, A.: Coatings From Epoxidized (Polyurethane-Polyester) Resin System, 577
Moustafa, A. B.
—; Faizalla, A.; Abd El Hady, B. M.: Effect of Filler Type and Concentration on Some Mechanical and Electrical Properties of Poly(methylmethacrylate), 637
Mo, Z. See Liu, T., 815
Mukhopadhyay, P.
—; Desbaumes, L.; Schreiber, H. P.; Hor, A.-M.; Dipaola-Baranyi, G.: Component Interactions and the Stability of Some Pigment/Polymer Dispersions, 245

Nakagawa, T. See Matsui, S., 49
Nakano, S. See Kishida, A., 255
Nakashima, T. See Mochizuki, A., 1253
Negelein, D. L.
—; Lin, R.; White, R. L.: Effects of Catalyst Acidity and HZSM-5 Channel Volume on Polypropylene Cracking, 341
Nicolais, L. See Maffezzoli, A., 823
Nishina, T. See Iijima, T., 769
Nonaka, T. See Kurihara, S., 1931
Novenario, C. R.
—; Caruthers, J. M.; Chao, K.-C.: Heat Capacity of Polymer Melts from the Polymer Chain-of-Rotators Equation of State, 841
Nusholtz, G. S. See Keshavaraj, R., 933

Ogihara, T. See Katono, H., 903
Okada, A. See Hasegawa, N., 87; Shiga, T., 259
Okada, S. See Miyazaki, T., 2199
Okada, T. See Wang, W., 705
Okay, O. See Kayaman, N., 805
Okieimen, F. E.
—; Aigbodion, A. I.: Estimation of Dilute Solution Viscosity Parameters of Rubber Seed Oil Alkyds, 1987
Okisaki, F. See Torikai, A., 1293
Oksman, K.
—; Clemons, C.: Mechanical Properties and Morphology of Impact Modified Polypropylene–Wood Flour Composites, 1503
Okuwaki, A. See Shin, S.-M., 2171
Olaru, L. See Olaru, N., 481
Olaru, N.
—; Olaru, L.; Stoleriu, A.; Ţîpu, D.: Carboxymethylcellulose Synthesis in Organic Media Containing Ethanol and/or Acetone, 481
Olayo, R.
—; Garcia, E.; Garcia-Corichi, B.; Sanchez-Vazquez, L.; Alvarez, J.: Polyvinyl Alcohol as Stabilizer in the Suspension Polymerization of Styrene: The Effect of the Molecular Weight, 71
Ono, H. See Fujita, M., 221
Özkar, S. See Göçmez, A., 1457

Padget, J. D. See Hourston, D. J., 1437
Pak, H. See Bonin, H. W., 37
Paliwal, D. K. See Bajaj, P., 1647
Palma, A. See Flores, M., 1071
Palma, G. See Baccante, A., 11
Pan, C.-Y. See Liu, Y., 2163
Pandey, G. C.
—; Kumar, A.; Boccara, A. C.; Fournier, D.: Nondestructive Evaluation of Polymer Coatings by Mirage–FTIR Spectroscopy: A Tool for Surface Characterization, 1249
Pannocchia, P. See Boscoletto, A. B., 2231

Paños, D. See Ibarra, L., 1819
Pan, Y. See Yi, X.-S., 2119
Pan, Z.-R. See Yao, Z., 1905
Papadokostaki, K. G.
—; Amarantos, S. G.; Petropoulos, J. H.: Kinetics of Release of Particulate Solutes Incorporated in Cellulosic Polymer Matrices as a Function of Solute Solubility and Polymer Swellability. I. Sparingly Soluble Solutes, 277
Parashar, M. K.
—; Gupta, R. P.; Jain, A.; Agarwal, U. S.: Reaction Rate Enhancement During Swollen-State Polymerization of Poly(ethylene terephthalate), 1589
Park, D.-J.
—; Ha, C.-S.; Cho, W.-J.: Synthesis and Properties of Vinyltrimethoxysilane–EPDM–Styrene Graft Terpolymer, 1345
Park, J.-G. See Han, S.-W., 1721
Park, S. W. See Kim, S. H., 1383
Park, W. H.
—; Lee, J. K.: A Study on Isothermal Cure Behavior of an Epoxy-Rich/Anhydride System by Differential Scanning Calorimetry, 1101
Patnaik, J. See Prasad, N., 1753
Paul, D. R. See Wright, C. T., 875
Pears, D. See Hourston, D. J., 1437
Pedersen, S. See Sundbø, J., 849
Pekel, F. See Göçmez, A., 1457
Pektaş, İ.
High-Temperature Degradation of Reinforced Phenolic Insulator, 1877
Pennings, A. J. See Flipsen, T. A. C., 2223
Perng, W.-C. See Ho, B.-C., 1313
Pessan, L. A. See Chaudhry, B. I., 1605
Petropoulos, J. H. See Papadokostaki, K. G., 277
Petrovich, S. See Evstatiev, M., 723
Pielichowski, J. See Pielichowski, K., 1465
Pielichowski, K.
—; Pielichowski, J.; Prociak, A.: Chlorinated Polyurethanes Based on 2,4-Toluenediisocyanate Thermal Analysis and Flammability Evaluation, 1465
Piérola, I. F. See Rivas, B. L., 1109
Pilati, F.
—; Toselli, M.; Messori, M.; Credali, U.; Tonelli, C.; Berti, C.: Unsaturated Polyester Resins Modified with Perfluoropolyethers, 1679
Ping, Z. See Chen, X., 629
Pizzi, A.
—; Garcia, R.; Deglise, X.: Thermomechanical Analysis of Entanglement Networks: Correlation of Some Calculated and Experimental Parameters (Note), 1673
—; Probst, F.: On the Correlation of Some Theoretical and Experimental Parameters in Polycondensation Crosslinked Networks. III. Network-Constrained Repeating Units (note), 1341
Plosceanu, C. L. See Duca, M. D., 2125
Poirier, E. See Bonin, H. W., 37
Pooley, S. A. See Rivas, B. L., 93
Pop, T. See Duca, M. D., 2125
Potapova, E. V. See Reshetnikov, I. S., 1827
Prasad, N.
—; Patnaik, J.; Bohidar, N.; Mishra, T.: Effect of Temperature on Nylon 6 Fibers at Different Denier Values and Study of Macromolecular Parameters by SAXS Technique, 1753
Premakumar, U. See Siddaramaiah, 101
Pritzker, M. D. See Ling, X., 149
Probst, F. See Pizzi, A., 1341
Prociak, A. See Pielichowski, K., 1465

Quaresima, R. See Baccante, A., 11
Qudah, A. M. See Al-Raheil, I. A., 1259, 1267

Rácz, G. See Sándor, N., 1729, 1739
Rangarajan, R. See Sivakumar, M., 1939
Ray, A.
—; Gupta, S. N.: Construction of Template Polymeric Ligand with 8-Hydroxy Quinoline, 1215
Rayss, J.
—; Widomski, J.; Luzinov, I.; Voronov, A.; Minko, S.: The Effect of Polyacrylate Binding Layers on Adhesion of UV-Cured Epoxyacrylate Protective Coatings on Optical Fibers, 1913
Rebouillat, S.
—; Donnet, J. B.; Guo, H.; Wang, T. K.: Surface Energy Mapping of Kevlar® Fibers by Inverse Gas Chromatography, 487
Reshetnikov, I. S.
—; Yablokova, M. Y.; Potapova, E. V.; Khalturinskij, N. A.; Chernyh, V. Y.; Mashlyakovskii, L. N.: Mechanical Stability of Intumescent Chars (Note), 1827
Rhee, H.-K. See Hwang, W.-H., 921
Rivas, B. L.
—; Maturana, H. A.; Molina, M. J.; Gómez-Antón, M. R.; Piérola, I. F.: Metal Ion Binding Properties of Poly(*N*-vinylimidazole) Hydrogels, 1109
—; Pooley, S. A.; Soto, M.; Maturana, H. A.; Geckeler, K. E.: Poly(*N,N'*-dimethylacrylamide-*co*-acrylic acid): Synthesis, Characterization, and Application for the Removal and Separation of Inorganic Ions in Aqueous Solution, 93
Rodriguez, F. See Gascó, M. C., 1831
Rodriguez, S. See Viswanathan, T., 1811
Roopa, S. See Siddaramaiah, 101
Roy, S. See Chakrabarty, D., 1051
Rozman, H. D.
—; Kumar, R. N.; Abusamah, A.; Saad, M. J.: Rubberwood–Polymer Composites Based

on Glycidyl Methacrylate and Diallyl Phthalate, 1221
Ruckenstein, E. See Hong, L., 1891; Yuan, Y., 913
Ryttel, A.
Copolymerization of Styrene with *N*-Vinyl Carbazole in Selected Organic Solvents, 715

Saad, M. J. See Rozman, H. D., 1221
Sadek, E. M. See Motawie, A. M., 577
Saha, N.
—; Banerjee, A.: Dynamic Mechanical Study on Unidirectional Polyethylene–Carbon Fibers: PMMA Hybrid Composite Laminates, 1631
—; Banerjee, A. N.: Stress-Relaxation Behavior of Unidirectional Polyethylene–Carbon Fibers: PMMA Hybrid Composite Laminates, 1925
Saiter, J. M. See Delahaye, N., 695
Saito, N.
—; Yamashita, S.: Characterization of Surface-Charge-Mosaic-Modified Ultrafiltration Membranes Prepared by Laser-Induced Surface Graft Polymerization, 1141
Sakagami, T. See Katono, H., 903
Sakai, K. See Kanamori, T., 833
Saka, S.
—; Takanashi, K.: Cellulose Triacetate Prepared from Low-Grade Hardwood Dissolving Pulp and Its Insoluble Residues in Acetylation Mediums, 289
Salcedo, R. See Likhatchev, D., 609
Sanchez, E. See Flores, M., 1071
Sanchez-Vazquez, L. See Olayo, R., 71
Sándor, N.
—; Geladé, E.; Van Maris, R.; Rácz, G.: Effect of Melamine on the Foam Kinetics of Polyurethane Model System. I. *Surface Properties in the Absence and Presence of Melamine Particles*, 1729
—; Geladé, E.; Van Maris, R.; Rácz, G.: Effect of Melamine on the Foam Kinetics of Polyurethane Model System. II. *Effect of Melamine Particles on Film Formation*, 1739
Sarkar, M. See Mitra, B. C., 1093
Satguru, R. See Hourston, D. J., 1437
Schäfer, F.-U. See Hourston, D. J., 1973
Scherbakoff, N. See Giudici, R., 1573
Schlup, J. R. See Shen, Z., 267; Xu, L., 895
Schreiber, H. P. See Mukhopadhyay, P., 245
Schultz, J. M. See Evstatiev, M., 723
Seifert, S. See Dreher, S., 531
Seisa, E. A. See Hamza, A. A., 1957
Seita, Y. See Mochizuki, A., 1253
Senel, S.
—; Cicek, H.; Tuncel, A.: Production and Characterization of Poly(etylene Glycol Dimethacrylate-styrene-glycidyl Methacrylate) Microbeads, 1319
Seo, D. See Jang, J., 1
Seppälä, J. V. See Bergström, C. H., 385; Hiltunen, K., 1011, 1017
Sheng, J.
—; Li, F.-K.; Hu, J.: Study on the Relaxation of Polystyrene, Ethylene–Propylene Diene Monomer, and the Blends of Polystyrene with Ethylene–Propylene Diene Monomer by Thermally Stimulated Current, 1199
Shen, J. See Chen, J., 1285; Li, G., 1761; Wu, S., 2077; Yang, W., 2035
Shen, Z.
—; Schlup, J. R.: Mid- and Near-Infrared Spectroscopic Investigations of *N*-Phenylmaleimide (NPM)/Amine Reactions, 267
Shevchuk, O. M. See Zaichenko, A. S., 1061
Shiga, T.
—; Ikawa, T.; Okada, A.: Fluorescence from Soluble Polythiophenes in Uniaxially Stretched Polymers, 259
Shinbo, T. See Kanamori, T., 833
Shin, S.-M.
—; Yoshioka, T.; Okuwaki, A.: Dehydrochlorination Behavior of Flexible PVC Pellets in NaOH Solutions at Elevated Temperature, 2171
Shin, Y.
—; Yoo, D. I.: Use of Chitosan to Improve Dyeability of DP-Finished Cotton (II), 1515
Shouji, M. See Katono, H., 903
Shu, X. Z. See Yi, X.-S., 2119
Siddaramaiah
—; Mallu, P.: Sorption and Diffusion of Aldehydes and Ketones Through Castor Oil-Based Interpenetrating Polymer Networks of PU–PS, 2047
—; Roopa, S.; Premakumar, U.; Varadarajulu, A.: Sorption and Diffusion of Aldehydes and Ketones into Natural Rubber Blends, 101
Sikora, A. See Lokaj, J., 755
Silvestre, C. See Cimmino, S., 1369
Sivakumar, M.
—; Mohanasundaram, A. K.; Mohan, D.; Balu, K.; Rangarajan, R.: Modification of Cellulose Acetate: Its Characterization and Application as an Ultrafiltration Membrane, 1939
Ślusarczyk, C. See Bieliński, D. M., 501
Ślusarski, L. See Bieliński, D. M., 501
Somashekar, R. See Jagannath, J. H., 1597
Song, M.-D. See Zhou, Q.-Y., 473
Soto, M. See Rivas, B. L., 93
Spencer, H. G. See Wang, X., 513
Sreekumar, K. See Geethakumari, K., 799

Srinivasan, K. S. V. See Hyder Ali, A., 441
Sroková, I. See Ebringerova, A., 1523
Starck, P. G. See Bergström, C. H., 385
Stevenson, D. See Levchik, S. V., 461
Stoleriu, A. See Olaru, N., 481
Sui, Y. See Yin, J., 2105
Sundbø, J.
—; Sæthre, B.; Pedersen, S.: Preparation of Crosslinked and Thermostable Paste Poly(vinyl chloride), 849
Sun, P.-C. See Cheng, G.-X., 983
Sun, Q.
—; Zhang, D.: Analysis and Simulation of Non-Newtonian Flow in the Coat-Hanger Die of a Meltblown Process, 193
Sun, R. See Chen, T., 569
Sun, Y.-M.
—; Hsu, K.-R.; Wang, C.-S.: Synthesis and Properties of Poly(ethylene-1,4-cyclohexanedimethylene naphthalate), 2245
Suzuki, A. See Kunugi, T., 1993
Svec, F. See Lewandowski, K., 597
Sæthre, B. See Sundbø, J., 849

Takanashi, K. See Saka, S., 289
Takemura, A. See Fujita, M., 221
Takesue, M. See Mizutani, Y., 1853
Talába, P. See Ebringerova, A., 1523
Tamai, T. See Kawazoe, N., 885
Tang, J. See John, J., 1947
Taniguchi, A. See Wang, W., 705
Tatarka, P. D.
—; Cunningham, R. L.: Properties of Protective Loose-Fill Foams, 1157
Tavan, M. See Boscoletto, A. B., 2231
Tavares, M. I. B. See Da Silva, E. P., 449
Tealdi, A. See Marzetti, A., 961
Teixeira, V. G. See Coutinho, F. M. B., 781
Terbojevich, M. See Marzetti, A., 961
Tesson, O. See Jousseaume, V., 1205
Thamizharasi, S.
—; Venkata Rami Reddy, A.; Balasubramanian, S.: Polymer–Metal Complexes: Synthesis and Characterization of Poly(4-acetyl-3-hydroxyphenylacrylate) and Its Metal Chelates, 177
Tian, B.
—; Dong, C.; Chen, L.: Preparation of Konjac Glucomannan Ester of Palmitic Acid and Its Emulsification, 1035
Tieqi, L.
—; Guangcong, L.; Kun, Q.: Reconsideration of the Effects of a Coupling Agent in Talcum-Filled Plastics, 1227
Tinçer, T. See Akinay, A. E., 1619
Ţîpu, D. See Olaru, N., 481
Tjong, S. C.
—; Li, R. K. Y.; Meng, Y. Z.: Rheology and Impact Characteristics of Compatibilized Polypropylene–Liquid Crystalline Polymer Composites, 521
Tock, R. Wm. See Keshavaraj, R., 933
Toland, A. See Viswanathan, T., 1811
Tomoi, M. See Iijima, T., 769
Tonelli, C. See Pilati, F., 1679
Torikai, A.
—; Kobatake, T.; Okisaki, F.: Photodegradation of Polystyrene Containing Flame Retardants: Effect of Chemical Structure of the Additives on the Efficiency of Degradation, 1293
Torre, L. See Maffezzoli, A., 763
Toselli, M. See Pilati, F., 1679
Tran-Cong, Q. See Kawazoe, N., 885
Tsuji, H.
—; Ikada, Y.: Blends of Aliphatic Polyesters. II. Hydrolysis of Solution-Cast Blends from Poly(L-lactide) and Poly(ε-caprolactone) in Phosphate-Buffered Solution, 405
Tsukada, M.
—; Freddi, G.; Massafra, M. R.; Beretta, S.: Structure and Properties of Tussah Silk Fibers Graft Copolymerized with Methacrylamide and 2-Hydroxyethyl Methacrylate, 1393
Tuncel, A. See Bayhan, M., 1127; Senel, S., 1319

Ueno, Y. See Kurihara, S., 1931
Ulrich, M.
—; Caze, C.; Laroche, P.: Morphological Studies of Glass-Microbead-Filled Polyamide 6.6–Polypropylene Blends, 201
Usuki, A. See Hasegawa, N., 87
Uyanik, N.
—; Kizilcan, N.; Akar, A.: ABA-Type Block Copolymers Containing Poly(dimethylsiloxane) and Ketonic Resins, 643

Valle, L. See Likhatchev, D., 609
Van Der Zwet, M. J. M.
—; Heidweiller, A. J.: Failure and Fracture Mechanisms of Injection-Molded Plastic Products, 1473
Van Maris, R. See Sándor, N., 1729, 1739
Varadarajulu, A. See Siddaramaiah, 101
Vasiliu-Oprea, C. See Dan, F., 231
Vasilyev, V. P. See Zaichenko, A. S., 1061
Venkata Rami Reddy, A. See Thamizharasi, S., 177
Venkatraman, S. See Kishore, 1565
Vera-Graziano, R. See Likhatchev, D., 609
Vilaplana, J. See López, J., 1769
Vincendon, M.
Xylan Derivatives: Benzyl Ethers, Synthesis, and Characterization, 455
Viswanathan, T.
—; Helmich, J.; Rodriguez, S.; Feng, Q.; Toland, A.: Synthesis of Phenetidine-Based Telechelics and Subsequent Reactions with Water-Based Curing Reagents, 1811
Volpe, R. See Baccante, A., 11

Voronov, A. See Rayss, J., 1913
Voronov, S. See Luzinov, I., 299
Voronov, S. A. See Zaichenko, A. S., 1061
Vrentas, C. M. See Vrentas, J. S., 2093
Vrentas, J. S.
—; Vrentas, C. M.: Slow Bubble Growth and Dissolution in a Viscoelastic Fluid, 2093

Waitkus, P. A. See Kuzak, S. G., 349
Walter, N. J. See Hourston, D. J., 1973
Wang, C.-S. See Sun, Y.-M., 2245
Wang, D.-M. See Lee, K.-R., 1789
Wang, H. See Chen, J., 1285
Wang, N. H. See Kuo, W. J., 19
Wang, P. See Zhang, Q., 1431
Wang, P. H.
Aspects on Prestretching of PAN Precursor: Shrinkage and Thermal Behavior, 1185
Wang, R.-M.
—; Li, S.-B.; Wang, Y.-P.; He, Y.-F.; Lei, Z.-Q.: Sheet Polymer and its Complexes. II. Preparation and Catalytic Activity of Polymeric Tetrakisphenylporphyrin Films Crosslinked by 4,4′-Biphenylene-Bisulfoate, 2027
Wang, T.-H. See Lian, S.-M., 1639
Wang, T. K. See Rebouillat, S., 487
Wang, W.
—; Taniguchi, A.; Fukuhara, M.; Okada, T.: Surface Nature of UV Deterioration in Properties of Solid Poly(ethylene terephthalate), 705
Wang, W.-H. See Cheng, G.-X., 983
Wang, W.-K. See Chiu, S.-H., 989
Wang, X.
—; Spencer, H. G.: Formation and Characterization of Chitosan Formed-in-Place Ultrafiltration Membranes, 513
Wang, Y.-P. See Wang, R.-M., 2027
Wang, Z.-G. See Yin, J., 2105
Wan Ngah, S. W.
—; Isa, I. M.: Comparison Study of Copper Ion Adsorption on Chitosan, Dowex A-1, and Zerolit 225, 1067
Wei, L. See Cheng, G.-X., 983
Weil, E. D. See Zhu, W., 1405
Wei, X.
—; He, Q.; Yu, X.: Synthesis and Properties of Polyoxyethylated Amine Polyurethane Ionomers, 2179
White, R. L. See Negelein, D. L., 341
Widomski, J. See Rayss, J., 1913
Williams, G. See Hourston, D. J., 1437
Wirpsza, Z.
—; Kucharski, M.; Lubczak, J.: New Melamine Resins. I. Synthesis of Reactive Solvents for Melamine, 1039
Włochowicz, A. See Bieliński, D. M., 501
Woo, S.-S. See Lee, D.-H., 2187
Wootthikanokkhan, J.
—; Burford, R. P.; Chaplin, R. P.: Effect of Curing Agent on Interfacial Adhesion in Acrylic Polymer-Based Laminates, 1277
Wright, C. T.
—; Paul, D. R.: Gas Sorption and Transport in UV-Irradiated Poly(2,6-dimethyl-1,4-phenylene oxide) Films, 875
Wrzyszczyński, A.
Organic Sulfur Compounds as Initiators of Polymerization. VII. Polymerization of Methyl Methacrylate by *N*-[(*p*-Benzoyl)benzenesulfonyl]benzenesulfonamide, 2083
Wu, C.-P. See Liu, Y., 2163
Wu, G. See Yi, X.-S., 131
Wu, S.
—; Zeng, F.; Shen, J.: The Conductive Properties of the Electrorheological Suspensions Based on Dihydroxypropyl Chitosan Particles, 2077
Wu, Z. See Ke, Y., 659; Ke, Y.-C., 2065

Xiao, S. See Chan Man Fong, C. F., 1885
Xiong, C. See Yuan, M., 1273
Xue, Q.-J. See Yan, F.-Y., 1119
Xu, H.-J. See Yin, J., 2105
Xu, L.
—; Schlup, J. R.: Etherification versus Amine Addition during Epoxy Resin Amine Cure: An *in situ* Study Using Near-Infrared Spectroscopy, 895
Xu, X. See Ge, X., 1005
Xu, Y. See Yang, C. Q., 649

Yablokova, M. Y. See Reshetnikov, I. S., 1827
Yamashita, S. See Mochizuki, A., 1253; Saito, N., 1141
Yan, F.
—; Zheng, C.; Zhai, X.; Zhao, D.: Preparation and Characterization of Polyacrylamide in Cationic Microemulsion, 747
Yan, F.-Y.
—; Xue, Q.-J.: Study of Fretting Wear Behaviors of FEP, 1119
Yang, C. Q.
—; Xu, Y.: Paper Wet Performance and Ester Crosslinking of Wood Pulp Cellulose by Poly(carboxylic acid)s, 649
Yang, K. H. See Kuo, W. J., 19
Yang, W.
—; Shen, J.; Zhu, S.-H.; Chan, C.-M.: Miscibility and Mechanical Properties of Sulfonated Polystyrene–Polyurethane Blends, 2035
Yang, Y. See Huang, D., 113
Yao, K.-D. See Cheng, G.-X., 983
Yao, Z.
—; Li, B.-G.; Cao, K.; Pan, Z.-R.: Semicontinuous Thermal Bulk Copolymerization of Styrene and Maleic Anhydride: Experiments and Reactor Model, 1905
Yasuda, H. K. See Lin, Y.-S., 855
Ye, C. See Chen, W., 139
Yen, M.-S.
—; Kuo, S.-C.: PCL–PEG–PCL Triblock Ester–Ether Copolydiol-Based Waterborne Polyurethane. II. Effect of NCO/OH Mole Ratio and DMPA Content on the Physical Properties, 1301
Yeom, C. K.
—; Lee, K.-H.: Characterization of Sodium Alginate and Poly(vinyl alcohol) Blend Membranes in Pervaporation Separation, 949

—; Lee, K.-H.: Characterization of Sodium Alginate Membrane Crosslinked with Glutaraldehyde in Pervaporation Separation, 209
Ye, Q. See Ge, X., 1005
Yilmazer, Ü. See Göçmez, A., 1457
Yin, J.
—; Zhang, W.; Xu, H.-J.; Fang, J.-H.; Sui, Y.; Zhu, Z.-K.; Wang, Z.-G.: A Study on the Preparation and Properties of Alicyclic Polyimides Based on 3-Carboxylmethylcyclopentane–1,2,4-Tricarboxylic Acid Dianhydride, 2105
Yi, X.-S.
—; Feng, Y.; Pan, Y.; Shu, X. Z.: A Study of Laser Etching of Polymer Compounds, 2119
—; Wu, G.; Ma, D.: Property Balancing for Polyethylene Based Carbon Black Filled Conductive Composites, 131
Yi, Y. D.
—; Bae, Y. C.: Volume Phase Transition of Submicron Sized *N*-Isopropylacrylamide/*N-tert*-butylacrylamide Particles by Photon Correlation Spectroscopy, 2087
Yomota, C. See Miyazaki, T., 2199
Yoo, D. I. See Shin, Y., 1515
Yoon, H. G. See Choi, H. D., 363
Yoon, K.-B. See Lee, D.-H., 2187
Yoshioka, T. See Shin, S.-M., 2171
Yuan, M.
—; Xiong, C.; Deng, X.: Ring-Opening Polymerization of ε-Caprolactone Initiated by Cyclopentadienyl Sodium, 1273
Yuan, Y.
—; Ruckenstein, E.: Miscibility and Esterification in the Poly(styrene-*co*-maleic anhydride)/Phenoxy Blends, 913
Yu, J.
—; Li, B.; Zhang, L.: Effect of the Fold Surface of the Lamellae on the Behavior of the Trapped Radicals in Irradiated Polyamide-1010, 1335
Yu, S.-J. See Lee, K.-R., 1789
Yu, X. See Wei, X., 2179

Zachmann, H. G. See Dreher, S., 531
Zaichenko, A. S.
—; Voronov, S. A.; Shevchuk, O. M.; Vasilyev, V. P.; Kuzayev, A. I.: Kinetic Features and Molecular-Weight Characteristics of Terpolymerization Products of the Systems Based on Vinyl Acetate and 2-*tert*-Butyl-peroxy-2-methyl-5-hexene-3-yne, 1061
Zaikov, G. E. See Mikheev, Y. A., 1693
Zanghellini, G. See Dreher, S., 531
Zeng, F. See Wu, S., 2077
Zeng, X.-R.
—; Ko, T.-M.: Thermal Crosslinking of *cis*-1,4-polybutadiene at Ultrahigh Pressures, 2131
Zerroukhi, A. See Marculescu, B., 1151
Zhai, X. See Yan, F., 747
Zhai, Y. See Zhang, Q., 1431
Zhang, B.-H. See Zhou, Q.-Y., 473
Zhang, D. See Sun, Q., 193
Zhang, H. See Liu, T., 815
Zhang, L. See Yu, J., 1335
Zhang, Q.
—; Wang, P.; Zhai, Y.: Preparation of Graded Index Plastic Rods Doped with Nd^{3+} by Interfacial-Gel Polymerization, 1431
Zhang, W. See Yin, J., 2105
Zhang, X.
—; Baker, W. E.: Grafting Styrene onto a Polyethylene Surface: A Model Study of an Interfacial Reaction, 427
Zhang, Z. See Ge, X., 1005
Zhao, D. See Yan, F., 747
Zhao, R.-Z. See Cheng, G.-X., 983
Zheng, C. See Yan, F., 747
Zhou, J. See Li, S.-D., 2207
Zhou, Q.-Y.
—; Zuo, J.; Song, M.-D.; Zhang, B.-H.; He, B.-L.: Mechanical Property and Swelling Behavior of Semi-Interpenetrating Polymer Networks Based on Polyvinyl Alcohol and Polyurethane, 473
Zhu, C.-S. See Li, S.-D., 2207
Zhu, S.-H. See Yang, W., 2035
Zhu, W.
—; Weil, E. D.: Influence of the Molecular Weight of PPO Resins and Char-Forming Behavior of Polymeric Additives on the Flame Retardancy of EPDM Formulations, 1405
Zhu, Y. See Li, G., 1761
Zhu, Z.-K. See Yin, J., 2105
Zuo, J. See Zhou, Q.-Y., 473

Journal of Applied Polymer Science

Subject Index to Volume 67

ABS, 1605
Absorption, 2065
Acetylation, 289
Acid dyes, 371
Acid–base interactions, 245
Acrylamide, 747, 1005
Acrylic acid, 1449, 2057
Acrylic elastomer curing, 1277
Acrylic fibers, 1647
Acrylic monomers, 1545
Acrylic rubber, 1277
Acrylic thermoplastics, 1925
Acrylonitrile–butadiene–styrene copolymer (ABS), 1345
Acrylonitrile–EPDM–styrene copolymer (AES), 1345
Activated poly(vinyl chloride), 849
Activation energy, 1711
Additives, 1293, 2015
Adhesion, 855, 1025, 1277, 1913
Adhesives, 1151
Adsorption, 1067, 1085
Adsorption isotherm, 487
Aggregation, 299
Agitation, 1711
Airbags, 933
Alcohol–water mixture, 629
Aldehydes, 101, 2047
Alicyclic, 2105
Alkaline solution, 2171
Alkyds, 1987
Alloys, 1531
Aluminum, 1457
Aluminum-epoxy bondings, 37
Aminostyrene, 597
Ammonium perchlorate, 1457
Amphiphilic derivative, 1523
Anhydride, 1101
Anionic polymerization in solvent, 231
Antibacterial activity, 1761
Aqueous polyurethane, 473
Aqueous solution, 1615
Aqueous two-phase system, 255
Aqueous-based PU, 1661
Aryl amines, 1545
Atomic absorption spectroscopy, 1109
Aziridinyl latent curing, 1661
Bacterial cellulose, 1871
Beechwood glucuronoxylan, 1523
Benzylation, 455
BET model, 1415
Binodal and spinodal phase separation, 231
Birefringence, 1993
Bismaleimide, 267
Bismaleimide resin, 769
Blend, 1285
Blend compatibilization, 427
Blending, 1693
Blends, 27, 61, 101, 405, 449, 531, 723, 885, 913, 949, 1071, 1205, 1209, 1369, 1531, 1605, 1619, 1769, 1853, 1863, 2001, 2035
Block copolymer, 755
Blood compatibility, 1253
BSA rejection, 513
Bubble dissolution, 2093
Bubble growth, 1353, 2093
Bubble growth in viscoelastic media, 1353
Bubble nucleation, 1353
Burning rate, 1457
Butyl methacrylate, 1711

Caprolactam, 231
ε-caprolactone, 1273
Carbon black, 131
Carbon black-loaded polypropylene compounds, 2119
Carbon fibers, 1819, 1925
Carboxylic acids, 649
Carboxymethylcellulose (CMC), 481
3-carboxylmethylcyclopentane–1,2,4-tricarboxylic acid dianhydride, 2105
Catalyst active sites, 1779
Catalysts, 2027
Catalyst–heat treatment, 1221
Cationic polymer, 1711
Cellular structure prediction, 1353
Cellulose, 649, 1871
Cellulose acetate membranes, 1939
Cellulose solutions, 1871
Cellulose structure, 1871
Cellulose triacetate, 289
Chain folded crystals, 763
Chain rigidity, 2065
Chain-of-rotators equation of state, 841
Characterization, 1345
Char-forming polymer, 1405
Char-forming rate, 1405
Chemical grafting, 1947
Chitin, 2077
Chitosan, 983, 1067, 1515
Chitosan UF membrane, 513
Chlorinated polyethylene (CPE), 27
Chlorinated polyurethanes, 1465
Chloromethylstyrene, 1151
2-chlorophenol, 1085
Chymotrypsin, 1127, 1319
cis-1,4-polybutadiene, 2131
^{13}C-nuclear magnetic resonance, 2187
Coated metal oxide powders, 1891
Coat-hanger die, 193
Coating, 149
Coatings, 577
Coefficient of friction, 1831
Color variation, 371
Combustion, 2231
Compatibilization, 61, 87, 723, 2141
Compatible blends, 997
Complex permittivity, 363
Composite, 349, 363, 1457
Composites, 79, 637, 723, 1093, 1191, 1209, 1565, 1819
Compressive stress, 1157
Conducting polymers, 1811
Conductive composites, 131
Conductive polymers, 1205, 1209
Conductive property, 2077
Conductivity, 1863
Confocal scanning laser microscopy, 149
π-conjugation, 259
Constrained geometry catalyst (CGC), 2187
Continuous stirred tank reactor (CSTR), 921
Copolyesters, 2245
Copolymer blends, 1071

Copolymerization, 559, 715
Copolymers, 643, 1237, 1243
Copoly(PPO–THF) Triols, 2163
Copper ions, 1067
Copper metal ion, 1939
Copper methacrylate, 11
Coupling agents, 1227
Creep, 621
Crosslinked polyethylene, 789
Crosslinking, 49, 119, 307, 649, 875, 1789, 2131, 2163
Crosslinking reaction, 209
Crystal size, 1597
Crystallinity, 501, 547
Crystallization, 159, 395, 763, 815, 1259, 1267
Crystallization kinetics, 1383
Crystallization temperature, 371
Cu(II) complex, 903
Cure, 895
Curing, 37, 695
Cyclic aliphatic carbonate, 547
Cyclic olefin copolymer, 385
Cycloaddition, 441
Cyclohydehydration, 609
Cyclopentadienyl sodium, 1273
Cyclotriphosphazenes (CTPs), 461

Deformation, 321
Degradation, 1877, 2199
Degree of crystallinity, 763
Dehydrochlorination, 2171
Denaturing agents, 1615
Densely crosslinked polymer, 2223
Densification, 49
Density, 1157
Depolymerization, 1515
Desorption, 2065
Dextran, 255
DHDMI, 1515
Diallyl phthalate, 1221
Diethylaminoethyl (DEAE) cottons, 739
Diffential scanning calorimetry (DSC), 695
Differential scanning calorimetry, 763, 815, 975
Differential scanning calorimetry (DSC), 2187
Diffusion, 101, 165, 2047
Dihydroxypropyl chitosan, 2077
Diluent mixture, 781
Dimethyl meta-isopropenyl benzyl isocyanate, 559, 685
Dimethyl-acetamide solutions, 1799
Dinuclear Half-Titanocenes, 2187
Diols, 1017
Dispersion, 245
Dispersion rheology, 245
Di(2-ethylhexyl)phosphonic acid, 781
DMA, 385
Dowex A-1, 1067
Drawing process, 1957
DSC, 139
Dual-curing, 1661
Dyeability, 1515
Dynamic formation, 513
Dynamic friction, 1831
Dynamic mechanical analysis, 201
Dynamic mechanical behavior, 1631
Dynamic mechanical properties, 1973
Dynamic properties, 1819
Dynamic scan of DSC, 1383

Egyptain poly(ethyleneterephthalate) (PET) fibers, 1957
Elasticity, 119
Elastomeric matrix, 1819
Elastomers, 101
Electrical conductivity, 637
Electronic industrial technology, 1205
Electronic spectra, 177
Electrophilic substitution reaction, 659
Electropolymerization, 149
Electrorheological effect, 2077
Elevated-temperature creep, 1177
Emulsifier-free polymerization, 1711
Emulsifying ability, 1035
Emulsifying efficiency, 1523
Entanglement networks, 1673
Enthalpy change, 1597
Enzyme immobilization, 1127, 1319
EPDM, 1199
EPDM polymer, 1405
EPDM-*g*-St, 1199
Epoxidized natural rubber, 2207
Epoxy, 1101, 1639, 1661
Epoxy adhesive, 37
Epoxy resin, 895, 1051, 1769
Escherichia coli (*E. coli*), 1761
ESR, 1335
Esterification, 649, 913, 1101
Ester–ether copolydiol, 1301
Etching, 2119
Ethanol–acetone mixtures, 481
Ethanol–water mixture, 209
Ethanol–water mixtures, 949
Etherification, 895, 1101
Ethyleneglycoldimethacrylate, 1319
Ethylene-vinyl acetate-vinyl alcohol terpolymer, 1071
Ethylene–propylene–diene terpolymer (EPDM), 1345, 1721
Exotherm, 1101
External electron donor, 1779
Extracorporeal circulation, 1253
Extraction chromatography, 781
Extrusion, 2111

Fabric-material response model (FMRM), 933
Failure mechanism, 1913
FEP (perfluorinated ethylene–propylene copolymer), 1119
Fiber diameter, 1191
Fibers, 621, 1093, 1701, 1753, 1957
Fibrillar reinforcement, 723
Fibrillation, 521
Filled membrane, 629
Fillers, 637
Film formation, 1739
Films, 1489
Fire retardance, 2231
Fire retardant, 989
Fire retardants, 19, 2231
Fire-resistant polyurethane ionomers, 19
Fire-retardant polymers, 1827
First-order reaction, 2171
FKP model, 1177
Flame retardancy, 1405
Flame retardant, 1293
Flammability, 989, 1465
Flexible PVC, 2171
Flory distribution, 2213
Fluorinated polymers, 1679
Foam sheet layer, 1565
Foamability, 1523
Foamed chars, 1827
Fold surface area of the lamellae, 1335
Fomblin, 1679
Forces of interaction, 933
Fourier transform infrared (FTIR) spectroscopy, 267, 865
Fourier transform infrared spectroscopy (FTIR), 2163
Fractal dimension, 299
Fractionation, 1987
Fracture, 1541
Fracture energy, 1541
Fracture toughness, 769

Free radical bulk polymerization, 1243
Free radicals, 1335
Free shrinkage, 1185
Free-radical polymerization, 1545
Frequency dispersion behavior, 363
Fretting, 1119
Friability, 1157
FTIR, 1947
Functionalized monomers, 441
Fuzzy control, 921

GAB model, 1415
Gamma irradiation, 79
Gamma ray-induced copolymerization, 11
Gas channel, 1553
Gas chromatography–mass spectrometry (GC–MS), 1545
Gas permeability, 49, 865
Gas-assisted injection molding, 1553
Gases, 875
Gel content, 789
Gel extraction, 805
Gel permeation chromatography (GPC), 1779
Gel permeation chromatography with low-angle laser light scattering, 2199
Gel swelling, 805
Geomembranes, 1885
Geometry transitions, 1473
Glass bead, 201
Glass fiber-reinforced polypropylene composites, 1191
Glass transition temperature, 975, 997
Glass-reinforced phenolic, 1877
Glass–epoxy (G–E) composites, 1565
Glutaraldehyde, 209
Glycidyl methacrylate, 1221
Glycidylmethacrylate, 1319
Graded index (GI) plastic rod, 1431
Graft copolymerization, 1345, 1393, 1931
Graft copolymers, 307, 961
Graft polymerization, 739, 1141
Graft terpolymer, 1721
Graphite-reinforced phenolic, 1877

Hardwood dissolving pulp, 289
HDPE–talc, 1227
Hemodialysis membrane, 833
Hessian cloth, 79
Heterogeneous media, 833
Heterogeneous method, 1035
Hexafluoropropylene oxide (HFPO), 1489
High dimensional stability, 2223
High modulus, 1993
High thermal stability, 2223
High viscous system, 1729, 1739
HNBR, 501
Hollow fiber, 1253
Homogeneity, 449
HTPB, 1457
Hyaluronic acid, 2199
Hybrid composite, 1631, 1925
Hybrid dispersed phases, 2001
Hydrogel, 983
Hydrogel membranes, 1931
Hydrogels, 823, 1109
Hydrogenated oligo (cyclopentadiene), 1369
Hydrolysis, 405
Hydrolytic crosslinking, 849
Hydrophilic segment, 1301
Hydroxyalkyl methacrylates, 1243
2-Hydroxyethyl methacrylate, 1393
8-hydroxy quinoline, 1215
4-hydroxystyrene, 597

Imidazole, 1101
Impact behavior, 113, 1565
Impact strength, 349
Impact test, 521
Infrared (IR) spectroscopy, 695, 1237
Infrared spectroscopy, 649
Iniferter, 755
Injection molding process, 1473
Inorganic ions, 93
Insoluble residue, 289
Interfacial energy, 1673
Interfacial reaction, 427
Interfacial strength, 1025
Interfacial-gel polymerization, 1431
Interpenetrating networks (IPNs), 1051
Interpenetrating polymer networks, 1973
Interpenetrating polymer networks (IPNs), 2047
Intumescence, 1827
Intumescent, 989
Inverse emulsion polymerization, 1005
Inverse gas chromatography, 245, 487
Iodination, 501
Ion adsorption, 1109
Ion exchange, 739
Ion-exchange, 1085
Ionic groups, 1973
Ionic strength effects, 513
Ionomer, 1437, 2153
Ionomers, 19
Irradiation, 37, 1837
γ-Irradiation, 1449
Isopropylacrylamide, 1127
Isotactic, 395
Isotactic polypropylene, 159, 1259, 1267
Isothermal scan of differential scanning calorimetry (DSC), 1383

Jute dust, 79
Jute reinforced composites, 1093

Ketones, 101, 2047
Ketonic resins, 643
Kevlar® fibers, 487
Kinetic energy adsorption model (KEAM), 933
Kinetics, 395, 685, 815, 895, 1061
Kinetics and mechanism of oxidation, 799
Kozeny–Carman equation, 833

Laminar morphology, 2001
Large-dose γ-radiation dosimetry, 1837
Laser etching, 2119
Laser-induced surface graft polymerization, 1141
Leaching of solidified radioactive wastes, 277
Ligand-metal complex, 1449
Light resistance, 1345
Linear flexible polymers, 679
Liquid crystal polymer, 1383
Liquid crystalline polymer, 521
Liquid crystalline polymers, 2141
Liquids, 1693
Liquid–liquid phase separation, 159
L-lactic acid, 1017
Loose-fill, 1157
Low-density polyethylene, 2057
Low-density polyethylene film (LDPE), 1837
Low-temperature cascade arc torch treatment, 855

Macromolecular parameters, 1753
Macroporous powders, 231
Magnetic moments, 177

Maleic anhydride-modified PP oligomer (PP–MA), 87
MAPP, 1503
Marginal regeneration, 1739
Mathematical model, 1573
Mathematical modeling, 921
Matrix resin, 1701
Mechanical load-carrying ability, 1473
Mechanical properties, 307, 569, 705, 1457, 1503, 1769
Melamine, 1039, 1729, 1739
Melt polycondensation, 2245
Meltblown, 193
Melting behavior, 395
Melting point depression, 997
Melting temperature, 371, 975
Membranes, 165, 949, 1141
Mercaptosilane grafting, 849
Mesophase, 975
Metal ion binding, 93
Metal ions, 1647
Metal oxides and metal coatings, 1891
Metallization, 1639
Metallocene, 2213
Metallocene catalyst, 385
Methacrylamine, 1393
(2-methacryloyloxyethyl) trimethyl ammonium chloride, 1005
Methyl methacrylate, 585
4-methylstyrene, 597
Methyl vinyl ketone (MVK), 1721
Michael addition reaction, 1545
Microemulsion, 747
Microhardness, 2131
Microstructure, 139, 747
Mid-infrared (mid-IR), 267
Mirage–Fourier transform infrared spectroscopy, 1249
Miscibility, 221, 913, 1369, 2035
Mobility, 139
Modeling, 1415
Modification, 769
Molecular orientation, 531
Molecular polarization, 2065
Molecular structure, 659
Molecular weight, 71, 705, 1191, 1987, 2199
Molecular weight distribution, 2213
Molecular-weight characteristics, 1061
Monodisperse macroporous beads, 597
Monolithic controlled release systems, 277
Monomer synthesis, 547
Mononuclear half-titanocenes, 2187
Morphology, 149, 201, 769, 1259, 1267, 1285, 1503, 1973
Myoglobin, 255

Natural rubber, 221, 2207
NBR, 501
Nd^{3+}, 1431
Near infrared ray, 903
Near infrared spectroscopy, 895
Near-infrared (near-IR or NIR), 267
Network-constrained repeating units, 1341
NEW-TPI, 763
N-isopropylacrylamide, 2057
NMR, 385
NMR spectroscopy, 417
N-(*o*-aminophenyl) amic acids, 609
Nondestructive, 1249
Nonideal kinetics, 585
Nonisothermal, 815
Non-Newtonian flow, 193
Nonwoven production, 193
Novel positive photoresist, 1313
N-phenylmaleimide (NPM), 267
Nucleophilic substitution reaction, 659
N-vinyl carbazole, 715
Nylon, 933, 1541
Nylon 6, 1531, 1753
Nylon 6 fiber, 1993
Nylon 66, 371
Nylon-6,6 polymerization, 1573

One-dimensional sorption problem, 1885
Optical anisotropy, 621
Optical fiber, 1913
Optical filter, 903
Optical microscopy, 1259
Organic media, 481
Organic soluble xylan derivative, 455
Organic sulfur compounds, 2083
Organofunctional silane, 1025
Organometallic catalysts, 547
Orientation factor of amorphous chains, 1993
Oxygen and toluene barrier properties, 2001
Oxygen index, 1405

Packed layer, 833
Packing, 1457
Palmitoylated konjac glucomannan, 1035
Paper, 649
Particle size distribution, 569
Passenger restraint action model (PRAM), 933
Paste PVC, 849
PEDEKmK, 815
Peel test, 1277
PEG-TEOS hybrid materials, 139
Percolation, 1227
Percolation threshold, 1205
Perfluoropolyethers, 1679
Permeation, 165, 875
Peroxidic monomer, 1061
Pervaporation, 209, 629, 1789
Pervaporation separation, 949
Petroleum resin, 221
Phase diagram, 221
Phase modification, 2015
Phase morphology, 1531
Phase transition, 2087
Phase-transfer catalyst, 2027
Phenetidine, 1811
Phenolic, 349
Phenolic resin, 1
Phenolphthalein poly(ether sulfone), 113
Phenylnorbornene, 385
Phosphoric acid ester, 903
Photocrosslinking, 441
Photocrosslinking reaction kinetics, 885
Photodegradation, 1293
Photografting, 2057
Photoinitiator, 2083
Photon correlation spectroscopy, 2087
Photopolymerization, 417, 2083
Photosensitivity, 1639
Physical properties, 2245
Pigments, 245
Plane contact, 1119
Plasma, 1789
Plastic zone, 1541
Plastisol, 1769
Polarized light microscopy, 1051
Polyacenaphthylene support, 799
Polyacrylonitrile fibers, 1185
Polyamic acid, 1863
Polyamide blends, 1071
Polyamide-1010, 1335
Polyaniline, 1863
Poly(ary ether ketone ketone)s (PEKKs), 659
Poly(aryl ether ketone) films, 2065
Polybenzoxazine, 1
Polycaprolactone, 405, 1947
Polycarbonate, 1605

Polycondensation crosslinked networks, 1341
Poly(cyclohexanedimethylene naphthalate), 2245
Poly(cyclohexenyl norbornene), 183
Polydialkylsiloxane, 1853
Polydimethylsiloxane, 165
Poly(dimethylsiloxane), 643
Polyester, 933
Poly(ether-amide)s, 975
Polyether-segmented nylon, 1253
Polyethersulfone (PES)–[silicon oxide] hybrids, 1799
Poly(ethyl methacrylate) (PEMA), 1051
Polyethylene, 131, 321, 1285, 1925
Poly(ethylene glycol), 255
Poly(ethylene naphthalate), 2245
Poly(ethylene terephthalate), 705, 1383, 1589
Polyethyleneimine, 1939
Polyethylene–carbon fibers, 1631
Polyhexamethylene carbonate diol, 569
Polyimide, 1863, 2105
Polyimide membrane, 49
Polyimides, 1313
Polyisoprene rubber (PIR), 1619
Poly(lactic acid), 1011
Polylactide, 405
Polymer adsorption, 245, 299
Polymer complexes, 177
Polymer connector, 1913
Polymer cracking, 341
Polymer foaming, 1353
Polymer melts, 841
Polymer optical fiber, 2223
Polymer precursors, 1891
Polymer recycling, 341
Polymer sliding friction, 1831
Polymer solution, 159
Polymer solutions, 245
Polymerization, 747
Polymer–polymer interaction parameter, 997
Poly(methyl methacrylate), 1277
Poly(methyl methacrylate) matrix, 1631
Polymorphism, 659
Poly(*N*-isopropylacrylamide), 805
Poly(*N*-vinylacetamide), 255
Poly(*N*-vinylimidazole) hydrogels, 1109
Polyoxyethylated amine (NPEO), 2179
Polyphenylene ether–high-impact polystyrene blends, 2231
Poly(phenylene oxide), 875
Poly(phthaloyl diphenyl ether), 769
Polypropylene, 341, 395, 521, 989, 1853, 2111
Polypropylene fibers, 621
Polypropylene–clay hybrids (PPCH), 87
Polypropylene–polyamide blends, 201
Polypropylene–wood flow composites, 1503
Polysaccharide emulsifier, 1035
Polysaccharides, 455
Polystyrene, 1199, 1293, 1973
Polystyrene support, 799
Polystyrene-containing carbonyl group, 1237
Poly(tetrafluoroethylene-perfluorovinyl ether) copolymer films, 1449
Polyurethane, 1437, 1789, 1973, 2035
Polyurethane acrylate, 2153
Polyurethane ionomer, 2179
Polyurethane ionomers, 19
Polyurethane model system, 1729, 1739
Polyurethanes, 2163
Polyurethanes (PU), 865
Poly(vinyl alcohol), 473
Polyvinyl alcohol (PVA), 71
Poly(vinyl alcohol) (PVA), 949
Poly(vinyl chloride), 307
Poly(vinylidene fluoride), 997
Poly(1-butene), 1369
Poly(2-vinylpyridine), 149
Poly(3-alkylthiophene), 259
Poly(4-acetyl-3-hydroxyphenylacrylate), 177
Porous char, 2171
Positive photoresist, 1313
Positron annihilation lifetime spectroscopy (PALS), 983
Post-graft, 1789
Potassium persulfate, 747
p-pheylene diamine, 1215
Preparation, 2105
Pressure-time history, 933
Prestretching, 1185
Primary and secondary gas penetration, 1553
Primer adhesion, 855
Processing, 789
Processing conditions, 1605
Propellant, 1457
Property, 2105
Property balancing, 131
Propylene polymerization, 1779
Protein separation efficiency, 805
Proteins, 1939
Proton NMR, 1947
Proton nuclear magnetic resonance, 2163
Proton nuclear magnetic resonance (^{1}H-NMR) spectroscopy, 983
Proton spin–lattice relaxation time, 449
PS blend, 1199
Pulsed plasma-enhanced chemical vapor deposition (PECVD), 1489
PVC/GMA copolymer, 849
PVDF, 2125
Pyridine–sulfur dioxide charge transfer complex, 585
Pyridinium-type polymers, 1761

Rabbit, 1253
Radiation-induced graft polymerization, 1449
Radical polymerization, 93
Radical transformation, 1335
Reaction rate enhancement, 1589
Reactive environment, 2207
Reactive extrusion, 1573
Reactive solvents, 1039
Reactivity ratios, 559
Regenerated fibers, 961
Reinforced rubber, 119
Related copolymers, 769
Relaxation time spectrum, 679
Release kinetics, 277
Representative reinforcing volume, 1227
Resiliency, 1157
Resin, 1369
Resins, 11, 577, 1039
Retrogradation, 1597
Rheological and mechanical properties, 1071
Rheology, 1729
Ring-opening copolymerization, 547
Ring-opening polymerization, 183, 1273
ROMP, 183
Rotational viscometer, 2199
Rubber blends, 101
Rubber seed oil, 1987
Rubber-modified polybenzoxazine, 1
Rubberwood, 1221
Ruthenium benzylidene, 183

Ruthenium trichloride hydrate, 183

SALS, 321
Salt permeability of cellulosic polymers, 277
SAXS, 321
Scanning electron microscopy, 201, 1259
Scanning electron microscopy (SEM), 1051
Scrap poly(vinyl butyral) (PVB) film, 1531
Seeded emulsion polymerization, 685
Self-reinforcement, 2111
Semicontinuous polymerization, 1905
Semicrystalline polymers, 1177
Semi-IPNs, 473
Sequential addition, 2213
Sheet polymer, 2027
Silicone rubber, 629
Simulation, 933
Single fiber fragmentation test, 1701
Single ion transport mechanism, 2179
Single-particle composite, 1025
Sizing, 201
Small-angle X-ray scattering (SAXS), 1753
Sodium alginate, 209, 949
Sodium nitrite, 1515
Solid state ionic conductivity, 2179
Solid-state ^{13}C- and ^{29}Si-NMR, 139
Solid-state ^{13}C-NMR, 2131
Solubility, 903, 1871
Solubility parameters, 1987
Solution copolymerization, 921
Solvent-cast films, 1619
Solvents, 715
Sol–gel reactions, 1799
Sorption, 101, 1415, 2047
Sorption kinetics, 823
α-spherulites, 1267
β-spherulites, 1267
Spinodal decomposition process, 885
Spontaneous blending, 1693
Stabilizers, 71
Staged templated suspension polymerization, 597
Staling, 1597
Starch, 1157
Static friction, 1831
Steady-state fluorescence, 259
Steam explosion, 961
Stepwise generation of *N*-acyllactam groups, 231
Stress, 679
Stress relaxation, 1925
Structure, 501, 1523
Structure and properties, 2111
Structure–property relations, 1437
Styrene, 71, 427, 695, 715
Styrene acrylonitrile-styrene maleic anhydride, 1071
Styrene and acrylonitrile (SAN), 921
Styrene (St), 1721
Styrene-acylonitrile copolymer (SAN), 27
Styrene–acrylamide, 1215
Styrene–divinylbenzene copolymers, 781
Styrene–ethylene butylene–styrene (SEBS) block copolymer, 2015
Styrene–*N*-butyl maleimide copolymer, 755
St–MAH copolymerization, 1905
Sulfonate ionomers, 2141
Sulfonated polystyrene (HSPS), 61
Sulfonated polystyrene (SPS), 2035
Supermolecular skeleton, 1693
Surface coating, 1249
Surface energy, 487
Surface energy distribution and mapping, 487
Surface grafting, 427
Surface nature, 705
Surface tension, 1523, 1729
Surface-charge-mosaic-modified ultrafiltration membranes, 1141
Suspension, 2077
Suspension polymerization, 71, 1319
Swelling, 473, 1885
Swollen-state polymerization, 1589
Syndiotactic polypropylene, 159
Syndiotactic polystyrene, 1177

Tackifier, 221
t-butyl chromate, 799
Telechelic prepolymers, 1011, 1017
Telechelics, 1811
Temperature-resistant antistatic painting, 1891
Temperature-sensitive gels, 805
Template, 1215
Tensile loadings, 259
Tensile properties, 2001
Tensile strength, 2035
Terpolymerization, 1061
Tertiary amine, 1085
Tetraethoxysilane (TEOS), 1799
Tetramethoxysilane (TMOS), 1799
Thermal analysis, 1465
Thermal behavior, 1185, 1259, 1267, 1769
Thermal bulk polymerization, 1905
Thermal decomposition, 461, 2231
Thermal decomposition kinetics, 975
Thermal degradation, 371, 2207
Thermal effects, 841
Thermal properties, 289, 659
Thermal stability, 1345
Thermogravimetric analysis, 975
Thermomechanical analysis, 1673
Thermooxidative degradation, 2207
Thermoplastic olefins (TPOs), 855
Thermoresponsive gel, 1127
Thermosets, 1811
Thermotropic hydroxyethyl cellulose acetate, 1285
Thiyl groups, 755
Time-resolved fluorescence, 259
Topography, 149
Tortuous capillary pore model, 833
Toughened epoxy resin, 569
Toxicity, 989
Transient leukopenia, 1253
Tribological behavior, 1119
TSC, 1199
Tussah silk fibers, 1393
Twin-screw extruder, 1573

UL 94 test, 1405
Ultrafiltration, 1939
Ultrahigh molecular polyethylene (UHMWPE), 1619
Ultrahigh molecular weight polyethylene, 113
Ultrahigh pressure, 2131
Ultrasonic attenuation, 823
Ultrasonic velocity, 823
Ultraviolet irradiation, 875
Ultraviolet light irradiation, 49
Ultraviolet (UV)-visible absorption spectroscopy, 885
Unsaturated polyester resin, 695
Unsaturated polyesters, 1679

UV deterioration, 705
UV-curable, 2153
UV-Vis spectrophotometry, 1109

Vector fluid, 427
Vectra A, 531
Vectra B, 531
Vectra C, 531
Vibrating hot-drawing method, 1993
Vinyl benzyl chloride (VBC), 1151
Vinyl cinnamates, 441
Vinylidene chloride/ethyl acrylate (V/E) copolymers, 417
Vinyltrimethoxysilane–EPDM–styrene graft terpolymer (VES), 1345
Viscoelasticity, 2093
Viscosity, 521, 1987
Volatile organic compounds, 165
Volume phase transition, 2087

Water vapor permeability, 1301
Waterborne polyurethane, 1301
Water-insoluble cationic starch, 1085
Water-soluble cationic polymers, 1005
Wear coefficient, 1119
Weatherability, 1345
Wet strength resins, 649
Wheat straw, 961
Wide-angle X-ray scattering (WAXS), 531
Wood pulp, 649
Wood–polymer composites, 1221

XPS, 2125
X-ray diffraction, 1597
X-ray exposure, 2125
X-ray photoelectron spectroscopy (XPS), 1209
X-ray photo-electron spectroscopy (XPS), 1489
Xylan, 455

Zeolite silicalite-I, 629
Zerolit 225, 1067
Ziegler–Natta catalyst, 2213
Zwitter-ionomer, 2179